

Using Interactive Games to Engage Children with Autism on Visual Impairment



Che Ku Nuraini Che Ku Mohd, Gede Pramudya Faaizah Shahbodin, Helmi Adly Mohd Noor Ananta, Muliati Sedek

Abstract – This study aims to explain on the development of an Android based application using a serious games technique, which known as Autism Kits. It's a built mobile application that functions as an autism spectrum disorder learning application. The model was followed by the ADDIE methodology. In the meantime, respondents, including autism students, educators and parents, were tested. After the application was completed, a survey was performed. Results have demonstrated that teachers and parents are willing to use the application for autistic children that has been found to be very useful.

Keywords - Android Application, Autism Tool, Serious Games, Visual Perception.

I. INTRODUCTION

According to Baxter et al. [2] reported that there are around 52 million autism spectrum disorder cases worldwide. NASM [20] has come up with a report, said that autism has been estimated to be 1 out of 150 children. In addition, the rate of ASD has been reported in 2009 to rise to 1 in all 110 children, and increased in 2013. Yet, in Malaysia, the causes of autism remain unknown [22]. Malaysia, a developing and middle-income country comprising three ethnic communities and Native tribes with multi-ethnic populations, has limited knowledge and resources available in the area of child raising with Autism Spectrum Disorder (ASD) [9][21][27]. Thus, a tremendous need more investigation for research on limited ASDs in Southeast Asia and Malaysia in specific [9] [11] [13] [21]. Further studies on special needs children and their caregivers according to Ministry of Health Malaysia [19].

In Malaysia, public is still unclear about autism disorder. According to [10], the people seems having lack of information or experience regarding the terms of autism even it has gained so much attention in the media. If people do not know about autism, it may lead to bad attitudes towards autistic individuals and families.

Autism can be characterized or defined as developmental disorder whereby there are troubles with repetitive behavior and social interactions and communication. ASD is marked by social interaction issues, communication problems and repetitive behavioral tendency. In the first two or three years of their children's lives, fathers can usually notice their signs. These signs are developed progressively even if some children are normal and then their developmental milestones are worsening. ASD is a severe task not only for the people diagnosed with schizophrenia, but for the family, according to [23], a challenging behavior is the most distressing and stressful aspect of autism. These behaviors can often cause damage, stress and isolation on their families and employees.

[4] states that ASD can also be seen as a lifetime evolving disorder, a pervasive disorder that can have an impact on pervasive deficiency in various developmental fields. To have an awareness related to ASD is much recommended especially towards one's social-communicative abnormalities. Autism usually starts early in infants, although individuals are strongly affected by the specific beginning of autism [8]. ASD should be considered a developmental disability that requires imperative care, not a rare disease.

In Malaysia and also globally, ASD is referred as a specific knowledge deficit which contribute to existing timing and quality services inequalities. This can be used to provide individuals with information about ASD and its characteristics [25]. World Health Organization [30], has reported three main autistic children's traits, and they are impairment in communication, repetitive and stereotypical patterns of behavior. Mostly, autism children will experience in language difficulties which lead them hard to convey what they want or need. Thus, these children should be helped to build their relationship skills [12]. In addition, autistics have trouble with abstract conceptual ideas, but they can learn by rote instead of by analogy and symbolism [28].

Manuscript published on 30 September 2019

* Correspondence Author

Che Ku Nuraini Che Ku Mohd*, Pervasive Computing & Educational Technology (PET), Faculty of Information & Communication Technology. Universiti Teknikal Malaysia Melaka, Durian Tunggal, Malaysia

Gede Pramudya Ananta, Pervasive Computing & Educational Technology (PET), Faculty of Information & Communication Technology. Universiti Teknikal Malaysia Melaka, Durian Tunggal, Malaysia

Faaizah Shahbodin, Pervasive Computing & Educational Technology (PET), Faculty of Information & Communication Technology. Universiti Teknikal Malaysia Melaka, Durian Tunggal, Malaysia

Muliati Sedek, Centre For Languages and Human Development. Universiti Teknikal Malaysia Melaka, Durian Tunggal, Malaysia.

Helmi Adly Mohd Noor, Technical Foundation Section, Universiti Kuala Lumpur Malaysian Institute of Industrial Technology (UniKL MITEC).

© The Authors. Published by Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP). This is an [open access](http://creativecommons.org/licenses/by-nc-nd/4.0/) article under the CC-BY-NC-ND license <http://creativecommons.org/licenses/by-nc-nd/4.0/>

II. VISUAL IMPAIRMENT CHARACTERISTIC

Social activities are created during a child's life year and contact with the eye is the key development role. Typical arms movement, wobbling, and placing the hands in their eyes will affect misbehavior. Non-contraction, warning, social immaturity, self-confidence, self-centeredness, detachment and absence and dependency may result in negatory experience in social contact [26][5][6][16]. Besides that, children lack social interactions in adolescence and fail to read non-verbal communications, which make them difficult to understand social activities.

[26] and [24] reflected the impulsive and rational attitude of playing with their peers. Autism children perform and imitate their everyday routines with their motor skills. According to [24] and [15], due to only 44 percent of 101 daily life activities can be carried out alone by children with visual impairment have restricted verbal communication and show delays in obtaining fundamental skills. Inappropriately-viewed children usually play with symbolic toys. Autism Visual impairments kids are less unlikely than children with no disabilities to shift locations and toys while playing. This is because their mobility and space orientation are restricted. According to Brambring [3], echolalia is known as a phenomenon in children with visual impairment, and this has led with an increased acoustic sensitivity.

Autism has increased but to improve the understanding of ASDs, a lot needs to be done [17]. The knowledge on ASD is very worrying [10]. Thus, awareness related to these issues is much needed. People should not be aware of symptoms of the disease or ignore these early threat signs before action taken [9]. Autistic children are seen as normal people in Malaysia because of a lack of education, seeing people with selfishness from people suffering from mental illness or special needs [7]. Public acceptance of children with autism's particular characteristics [25]. So, people who cannot understand these children often regard themselves as curiously selfish and slow [10]. So, people who were unable to recognize often see these children as weird and slow egotistics [25].

III. OBJECTIVE

The objective of the study to develop an android based on visual impairment for autism students' as early detection detect tool using serious games. Serious ASD games have been thought to assist educators and learners in the teaching and learning process. Various researchers carried out many autism researches, but most only concentrated on autistic children and families of autistic children.

IV. METHOD

A. Ethics

For the purposes of this study, the data is kept confidential without public access.

B. Procedure

The quantitative method was employed and the opinions from the samples were also gathered.

C. Respondents

Participants were chosen five (5) Special Education Teachers, (10) Special Education Students who participated in a experimental group and control group. The students

were provided by SEAMEO SEN Melaka Malaysia and the testing was conducted in the computer lab.

D. Instrument

The instrument used in this study was mobile apps.

V. DEVELOPMENT OF APPLICATION

Five fundamental phases have involved in the development of the Autism Kits apps including Analysis, Design, Development, Implementation and Evaluation (ADDIE). In Vi-Per Games there is five (5) major modules. Figure 1 shows the login interface of the games. User must login to the user ID and password. Teachers and parents need to assist students to key in their details such as student name, mykid, gender and teacher's name.



Fig. 1. Login Interface

Once click login, it will go to the montage as shown in Figure 2.




Fig. 2. Montage of Autism Kits

Game 1 is shown in Figure 3. Visual Discrimination Game 1. Game 1. The objective of this game is to recognize the pictures in this game in the same way.





Fig. 3. Game 1 Visual Discrimination

Game 2 is shown in Figure 4. Games 2 is a game for Let's go fishing Game 2 that focuses on spatial relationship. Game 2's goal is to define differences in images.



Fig. 4. Game 2 Spatial Relationship

Game 3 for Form Constantly illustrates in Figure 5. Game 3 aims to identify the various sizes of the pictures provided.



Fig. 5. Game 3 Form Constantly

Game 4 is displayed in Figure 6. Game 4 is Form Memory Visual. The purpose of Game 4 is to determine the various dimensions of the pictures.



Fig. 6. Game 4 Form Visual Memory

Game 5 is displayed in Figure 7. Jigsaw Puzzle that focuses on Visual Closure is Game 5. The goal of this match is to define the visual closure challenges and wrap up the image. The last game is Game 5. Students cannot skip the games. They need to complete the games starting from game 1 until game 5.



Fig. 7. Game 5 Visual Closure

VI. RESULTS

Percentile scoring was used as the basis for the five (5) games. The diagnostic score level, based on the percentage score results is shown in Table 1:

Table- I: Diagnostic Score Level

Score	Level
0-29	Low
30-79	Medium
80-100	High

Ten (10) ASD students thoroughly tested the test. Table 2 shows apps that are based on the percentage score result before and after using the application. The teacher or parents can see throughout their application the progress of student results. They would have records of the activity tests passed by the children. Based on results, ASD students positively shown from low to medium and low to high. More students are extremely motivated after the experiments have been performed.

Table-II: Before and After the Treatment

Students	Before	After
A	Low	Medium
B	Low	High
C	Low	Medium
D	Low	High
E	Low	Medium
F	Low	Medium
G	Low	Medium
H	Low	High
I	Low	High
J	Low	High

There are some limitations that this experimental study should address in future studies. The present experiment for the broader study design is found to be useful, based on the results. The ADDIE model was implemented as a methodology, and in the first phase of a small quantitative method. Furthermore, researchers acknowledged that the identification of behavior and functioning difficulties by the participants are challenges during this experiment. It is informed that the larger project has selected appropriate, targeted quantitative measures. In recognition of perspectives provided by various experts and of frequent parenting issues in terms of education, the researcher may be extended to include multi-disciplinary researchers such as special needs, medical and social sciences.

VII. CONCLUSIONS

Autism Kits games, which is an early detection instrument for children with autism rather than traditional or conventional methods. The primary goal of this studies is to help children with ASD by creating a game app, particularly in their daily lives, to improve their knowledge and skills. To conclude, the development of the game app can be concluded that its effectiveness and usability becomes more promising. People may feel responsible if they have a better knowledge of autism itself to foster relationships among people and extend support with complete trustworthiness. Potential collaborating together between each party to ensure accurate diagnosis of ASD while at the same time providing autism to individuals with the greatest possible lives. Teachers, clinicians from outside nonprofit organizations or foundations, university graduates, family and people with learning disabilities themselves should be engaged in the collaboration [23]. As we know, autism diagnosis not only impacts ASD's life, but also impacts family members.

ACKNOWLEDGMENT

Authors are delighted to express their biggest gratitude for Universiti Teknikal Malaysia Melaka (UTeM), the Center for Research and Innovation Management (CRIM), the Center for Advanced Computing Technology (C-ACT), PET.

REFERENCES

- Banach, M.; Iudice, J.; Conway, L.; Couse, L.J. *Family support and empowerment: Post autism diagnosis support group for parents*. Soc. Work Groups, 2010,12, 69–83.
- Baxter, A. J., Brugha, T. S., Erskine, H. E., Scheurer, R. W., Vos, T., & Scott, J. G. *The epidemiology and global burden of autism spectrum disorders*. Psychological Medicine, 2015, 45, 601 - 613. doi: 10.1017/S003329171400172X.

- Brambling M. Response to Hobson's letter: congenital blindness and autism. *J. Autism Dev. Disord.* 2011; 41: 1595–1597.
- Camarata, S. (2014). Early identification and early intervention in autism spectrum disorders: Accurate and effective? *International Journal of Speech-Language Pathology*, 16(1), 1-10.
- Celeste M, Grum DK. *Social integration of children with visual impairment: a developmental model*. Elem. Educ. Online 2010; 9(1): 11–22. 11.
- Celeste M. *Play behaviors and social interaction of a child who is blind: in theory and practice*. *J. Vis. Impair. Blind.* 2006; 100(2): 75–90. 356.
- Centers for Disease Control and Prevention. *Prevalence of Autism Spectrum Disorder among Children Aged 8 Years - Autism and Developmental Disabilities Monitoring Network, 11 sites, United States*. Morbidity and Mortality Weekly Report, 2014, 63, 1-21.
- Chin-Po Chen, Susan Shur-Fen Gau and Chi-Chun Lee. *Toward differential diagnosis of autism spectrum disorder using multimodal behavior descriptors and executive functions*. *Computer Speech & Language*, 2019, 56 (2019) 17-35.
- Clark, M., Brown, R., & Karrapaya, R. (2012). An initial look at the quality of life of Malaysian families that include children with disabilities. *Journal of Intellectual Disability Research*, 56, 45–60. doi:10.1111/j.1365-2788.2011.01408.
- Dolah, J. B., Yahaya, W. A. J. W., & Chong, T. S. A preliminary investigation: *Potential of interactive multimedia learning awareness (IMLA) in enhancing awareness of autistic characteristics among parents and society in Malaysia*. *Electronic Journal of Computer Science and Information Technology: eJCIST*, 2011, 3(1).
- Golden, K. J., & Liaw, J. H. J. *Understanding neurodevelopmental disorders in context: Autism spectrum disorder in the family system*. In S. Haque & E. Sheppard (Eds.), *Culture and cognition: A collection of critical essays* (pp. 83–108), 2015, Bern, Switzerland: Lang.
- Gudu, B. O. *Teaching Speaking Skills in English Language Using Classroom Activities in Secondary School Level in Eldoret Municipality, Kenya*. *Journal of Education and Practice*, 2015, 6(35), 55-63.
- Ilias, K., Ponnusamy, S., & Normah, C. D. *Parental stress in parents of special children: The effectiveness of psychoeducation program on parents' psychosocial well beings*. Paper presented at the Symposium Sains Kesihatan Kebangsaan ke 7 [7th National Health Symposium], 2008, Kuala Lumpur.
- Jiar, Y. K., & Xi, L. *Parenting stress and psychological distress among mothers of children with autism in Johor Bahru and Hangzhou*. *Journal of Educational Psychology & Counseling*, 2012, 6, 129-153.
- Lewis S, Inselin SA. *A comparison of the independent living skills of primary students with visual impairment and their sighted peers: A pilot study*. *J. Vis. Impair. Blind.* 2002; 96(5): 335–344.
- Magdalena Wrzesińska, Tinto C. *Spontaneous facial expression in congenitally blind and sighted children aged 8-11*. *J. Vis. Impair. Blind.* 2003; 97(7): 418–428.
- Martin, D. M. (2012). *The Ever-Changing Social Perception of Autism Spectrum Disorder in the United States*. Project completed in partial fulfillment for graduation from the Honors College of East Carolina University.
- Marylene S. Eder, John Maruel L. Diaz, Joanne Ruth S. Madela, Marife U. Magusara and Dhally Dith M. Sabellano. *Fill Me App: An Interactive Mobile Game Application for Children with Autism*. *iJIM – Volume 10, Issue 3, 2016*.
- Ministry of Health Malaysia. *Country health plan: 10th Malaysia plan 2011–2015*. Retrieved from http://www.moh.gov.my/images/gallery/Report/Country_health.pdf.2011.
- National Autism Society of Malaysia. *what is Autism?* [Online]. Available: <http://www.nasom.com.my/index.php.2013>.
- Neik, T. T. X., Lee, L. W., Low, H. M., Chia, N. K. H., & Chua, A. C. K. *Prevalence, diagnosis, treatment and research on autism spectrum disorders (ASD) in Singapore and Malaysia*. *International Journal of Special Education*, 2014, 29, 82–92. Retrieved from <http://files.eric.ed.gov/fulltext/EJ1045960.pdf>

22. Noor B. Almandil, Deem N. Alkuroud, Sayed Abdul Azeez, Abdulla Al Sulaiman, Abdelhamid Elaissari and J. Francis Borgio. *Environmental and Genetic Factors in Autism Spectrum Disorders: Special Emphasis on Data from Arabian Studies*. Int. J. Environ. Res. Public Health 2019, 16, 658; doi:10.3390/ijerph16040658.
23. Norhidayah Mohd Salleh, Noorhanezya Mat Noor & Julianti Samsudin. *A Survey of Knowledge of Autism Spectrum Disorder among Malaysia Polytechnic Communities*. International Journal for Studies on Children, Women, Elderly And Disabled, Vol. 5, (Oct.),2018, ISSN 0128-309X.
24. Papadopoulos K, Metsiou K, Agaliotis I. *Adaptive behavior of children and adolescents with visual impairments*. Res. Dev. Disabil. 2011; 32: 1086–1096.
25. Shamsudin, S., & Rahman Abdul, S. S. *A preliminary study: awareness, knowledge and attitude of people towards children with autism*. Proceeding of the Social Sciences Research ICSSR. 9-10 June 2014, Kota Kinabalu, Malaysia.
26. Smith DD. *Pedagogika specjalna*. Vol. 2. Warsaw: Polish Scientific Publishers PWN; 2011. 10.
27. Toran, H. *Experience and challenges in setting up a model demonstration classroom for children with autism in Malaysia*. International Journal of Educational Administration and Development, 2011, 2, 37–47.
28. Voorn, R. J., & Kommers, P. A. *Social media and higher education: introversion and collaborative learning from the student's perspective*. International Journal of Social Media and Interactive Learning Environments, 2013, 1(1), 59-73.
29. Williams, K. L., Schroeder, J. L., Carvalho, C., & Cervantes, A. *School personnel knowledge of autism: A pilot survey*. The School Psychologist, 2011, 65, 7-14.
30. World Health Organization. *Autism Spectrum Disorders & Other Developmental Disorders*. From raising awareness to building capacity. Geneva: WHO Document Production Services, 2013.



a Senior Lecturer at Centre for Languages and Human Development.

Muliati Sedek. She obtained both her Bachelor Degree and Masters in the field of Education (Teaching English as a Second Language, TESL) from University of Malaya. Meanwhile, she obtained her PhD from Universiti Putra Malaysia in the field of Educational Technology. Her interests in research are more on the use of ubiquitous technology in teaching and learning as well as in testing and measurement. She is currently

AUTHORS PROFILE



Che Ku Nuraini Che Ku Mohd, postdoctoral fellow attached at Universiti Teknikal Malaysia Melaka (UTeM), Melaka, Malaysia. She received her Degree in Computer Science (Interactive Media) and a Master of Science in Information and Communication Technology (Multimedia). Her interests are primarily

on multimedia applications, problem based learning, user interface design, human computer interaction and personalized learning environment, serious games.



Gede Pramudya obtained his B.Sc.Hons. in Mathematics Education and Mathematics from Udayana Universiti and Institut Teknologi Bandung, M.Sc. in Computer Science from Macquarie University, and Ed.D in ICT in Education & Training from University of Wollongong. Currently, he is a senior lecturer in the Department of Intelligent Computing &

Analytics. His research is in the area of symbolic computation, learning analytics, and experimental design.



Faaizah Shahbodin, who graduated from Universiti Utara Malaysia (UUM) in 1994 and from Queensland University of Technology (QUT), Brisbane, Australia, in 1997. She was a researcher, and a project manager is mainly on UNIMAS, Kolej Latihan Telekom (Kolej Multimedia), and UTeM computers in educational projects for 15 years. She graduated from Kebangsaan

University Malaysia (UKM) with her Ph.D. in Multimedia Education Systems. Her research problem of learning based on multimedia, creative content and user interface design.



Helmi Adly Mohd Noor, currently a senior lecturer at Universiti Kuala Lumpur, Pasir Gudang, Johor. He completed his PhD in Information and Communication Technology. He researches interests are multimedia, serious game and image processing.