

A Proposed Budgeting Planning Model for Bimodal Transportation in a Phosphate Supply Chain

Yassine Azougagh, Khalid Benhida Said Elfezazi and Nouredine Dahmani

Abstract: To better understand supply chain behavior and to evaluate its performance, it is necessary to start a modeling process. For this purpose, various tools and approaches are used. Among these tools, the analytical models can be used. With this background, the purpose of this study is proposition of a generic model for the transportation budgeting planning problems in multi-sites, multi-products, multi-depots and multi-periods context. The main contribution of this paper is to develop an integrated budgeting planning model (Mixed Integer Programming) applied in a phosphate supply chain. The purpose of the developed model is to define the optimum transportation budget of products routed in the various entities of the studied supply chain, considering various constraints (Capacity of facilities, availability of product and transportation vehicles, customers demand...) in order to plan and define the optimum products quantities and the optimize the costs to feed stocks and satisfy customers.

Keywords: bimodal transport, modelling, planning model, platform logistics, supply chain.

I. INTRODUCTION

In an increasingly competitive environment, companies must satisfy customer demands, maintain and improve concurrently their profitability using Supply Chain Management.

Today, understanding supply chains is a key resource that can contribute significantly to solve this delicate equation. To achieve this understanding, it must proceed by modelling the supply chain [1].

Since its inception in the early 1990s [2-4] the search work on supply chain analysis, modeling and optimization has multiplied [5-7]. Then the modeling of supply chains activities considering physical, informational and financial flows were treated as separate problems and the modeling approaches developed were implemented in independent environments. These models neglect the consequences of financial flows to optimizing these activities on the one hand. In the other hand the use of these type of models has been advocated in several types of industries: the computer industry [8], the detergent industry [9], the health industry

Revised Manuscript Received on November 15, 2019

Yassine Azougagh, Laboratory Process, Signals, Industrials Systems and Computing (LAPSSII), Superior School of Technology Safi, Cadi Ayyad University, Marrakech, Morocco. Email: azougagh.yassine@gmail.com.

Khalid Benhida Laboratory Process, Signals, Industrials Systems and Computing (LAPSSII), Superior School of Technology Safi, Cadi Ayyad University, Marrakech, Morocco.

Said Elfezazi, Laboratory Process, Signals, Industrials Systems and Computing (LAPSSII), Superior School of Technology Safi, Cadi Ayyad University, Marrakech, Morocco.

Nouredine Dahmani Laboratory Process, Signals, Industrials Systems and Computing (LAPSSII), Superior School of Technology Safi, Cadi Ayyad University, Marrakech, Morocco

[10], The pharmaceutical industry [11], the paper industry [12], the petroleum refinement industry [13] and the textile industry [14]. At the end of this review, there is an absence of a reference model that formalizes this type of problems.

The purpose of this study is to establish an analytical planning model of a company operating in the phosphate industry. Specifically, the modelling of logistics flows in a reel supply chain composed on production sites and a logistics platform in order to improve the planning and management of daily traffic flows. Also, to minimize the transportation cost of goods considering all the constraints (the capacity of stocks, cadence of production, the capacity of the transportation equipment and finally the customers demand...). In this study, the tactical and operational decision-making levels are considered, since the strategic level concerns decisions that affect the physical organization of the logistics chain.

This paper is organized in three paragraphs as follows. Paragraph 1 presents the basic terminology and a supply chain modelling approaches review. Paragraph 2 describes the development of the integrated budgeting model applied in a case study of supply chain. The last paragraph exposes the results and discussions.

II. ESSENTIAL TERMS

To better organize the structure of this paper and better comprehend and focus in the purpose of this work, it is necessary to define an essential term as follows.

Logistics: The definition of logistics takes more precise meaning depending on the context in which it is deployed. Indeed, is accepted that logistics is a set of techniques for managing and optimizing flows of raw materials, components and semi-products in the case of supplier-customers exchanges [15].

Supply chain: The supply chain refers to series of processes involved in the production and distribution of goods. It represents the steps that should be taken to bring a product to from suppliers to the consumer [16].

Logistic platform: The logistic platform is a temporary storage and transit area, where products are deposited temporary before being redirected to other destinations [17].

III. SUPPLY CHAIN PLANNING MODELS REVIEW

Modelling is a set of methods that offers the ability to study and understand the structure and the operating principle of a system.



Considering a broad spectrum of the supply chain concept, there are various classification of modelling approaches used to describe and analyze the supply chains. Several reviews of the literature reflect the interest of this research area [18]-[24]. Labarthe [20] present in his work, the main classification with the main modelling approaches divided in three principal approaches: the analytical approach, the simulation approach and organizational Approach.

This paper focus generally in developing a *Mixed Integer Programming* analytical model for planning problems in a supply chain. This model belongs to analytical approach.

In this kind of approaches, the modeling is done by a mathematical equation describing and reflect the functioning of the supply chain using two approaches: the control theory or the operational research.

The work related to planning models applied in different areas is wide, several works can be found in [8]-[14];[25]-[33]. Many literature reviews confirm the interest in this research area [34].

IV. RESEARCH METHODOLOGY

To accomplish the purposes of this study in an efficient way, a structured methodology is followed, based on the work of [35]-[37]. This methodology can be summarized as followed (See Figure 1):

- Problem formulating: Define the objectives and the perimeter of the study and clarify the functioning of the system.
- Data collecting: Specify the parameters of the model and collect the information necessary for the

functioning of the system.

- Model developing: propose the main objective function and the various constraint.
- Model checking and validating: determine if the developed model reflect precisely the real system.
- Executing the models: analyze, take back the results and evaluate their impacts on the performances of the systems.

As presented in figure 1, these steps can be iterative. This process continues until the model is considered to be sufficiently valid.

V. MODEL DEVELOPMENT

The system studied is a supply chain [38]-[40] composed of logistics platform and a chemical complex:

The logistic platform is designed for exporting fertilizers and phosphoric acid also importing Sulphur from different world destinations. This platform in a sea port is far 13 km from production sites.

The production sites are designed to produce the phosphoric acid, fertilizers also transformation of Sulphur.

The following Figure 2 show the structure of the studied supply chain also the repartition of physical flows.

A. Indices set

TP: Series of the transportation provider $tp \in TP$;

Itm: Series of the routed items, $itm \in ITM$;

T : Number of time t in the planning period $t \in T$;

D : Series of the days in the planning period $j \in J$;

U : Series of the supply chain units, $u=prt$ for facilities in port, $u=ps$ for facilities in production sites $u \in U$.




Fig. 1. Search methodology




Fig. 2. Studied supply chain

A. Parameters

$ST_{u,itm}^{d,t}$: Stock of the item itm in the unit u during the day d in the planning period t.

$QTP_{u,itm}^{d,t}$: Production of the item itm in the unit u during the day d in the planning period t

$QTD_{u,itm}^{d,t}$: Demand of the item itm in the unit u during the day d in the planning period t.

B. DATA

$DMax_{u,itm}^t$: Maximal demand of the item itm can be demanded in the unit u in the planning period t;

$STMax_{u,itm}$: Maximum capacity of items itm can be stocked in the unit u;

$SafST_{u,itm}$: Security stock of the item itm in the unit u;

$PRMax_{u,itm}$: Maximal quantities of item itm can be produced in the unit u;

$CapMax_{u,itm}$: Maximal quantities of item itm can be endured by the facilities in the unit u;

$NRMax_{Ca}$: Maximum of transportation can be made by truck in a day;

$NRMax_{Tr}$: Maximum of transportation can be made by trains in a day;

$QTMMax_{Ca,Gd}$: The capacity of truck to transport the items itm;

$QTMMax_{Tr,p}$: The capacity of train to transport the items itm;

LC^t : The Labor cost to transport items in period t;

MC^t : The Maintenance cost of the transportation equipment in period t;

$HCE_{Tr,itm}^t$: The Hiring cost of equipment used in routing of the item itm by trains during period t;

$HCE_{Ca,itm,tp}^t$: The Hiring cost of equipment used by transportation provider tp in routing of the items p by truck during period t;

M : A constant, $M = "+\infty"$.

C. Decision variables.

TC_{itm}^t : The transportation cost of the item itm transported in the period t;

$TC_{itm}^{d,t}$: The transportation cost of the item itm transported during day d in period t;

$UTC_{Tr,itm}^t$: The unit transportation cost by trains of the item itm in the period t;

$UTC_{Ca,itm,tp}^t$: The unit transportation cost by tracks of the item itm in the period t using the transport provider tp;

$QTrv_{Tr,itm}^{d,t}$: The items itm conveyed by trains in each trip;

$QTrv_{Ca,itm}^{d,t}$: The items itm transported by trucks in each trip;

$NTrv_{Tr}^{d,t}$: Total of trips made by trains in the day d of the planning period t;

$NTrv_{Ca}^{d,t}$: Total of trips made by trucks in the day d of the planning period t;

α_j : Binary variable to choose routing by trucks.

D. The function objective

The purpose of the developed objective function (see formula 1) is minimizing the transportation cost between various entities of the supply chain studied in a specified planning period.

$$\begin{aligned} \text{Min}(z) &= \sum_{t \in T} TC_p^t \quad (1) \\ &= \sum_{t \in T} \sum_{d \in D} \sum_{itm \in ITM} NTrv_{Tr}^{d,t} \cdot QTrv_{Tr,itm}^{d,t} \cdot UTC_{Tr,itm}^d \\ &+ \sum_{t \in T} \sum_{d \in D} \sum_{itm \in ITM} \sum_{tp \in TP} NTrv_{Ca}^{d,t} \cdot QTrv_{Ca,itm}^{d,t} \cdot UTC_{Ca,itm,tp}^t \cdot (1 - \alpha_j) \end{aligned}$$

The formulations of the model constraints are as presented as follow:

• Constraints related to costs of transportation

The constraints (2) and (3) specify the transportation cost of one ton of product p using trains or tracks in period planning. This cost is equal to labor cost plus the maintenance cost and the transportation equipment rental cost.

$$UTC_{Tr,itm}^t = LC^t + MC^t + HCE_{Tr,itm}^t ; \forall t \in T, itm \in ITM \quad (2)$$

$$UTC_{Ca,itm,tp}^t = LC^t + MC^t + HCE_{Ca,itm,tp}^t \quad \forall t \in T, tp \in TP, itm \in ITM \quad (3)$$

• Constraints associated to the items transported

Once the quantities of items in the stocks of the logistics platform not enough to serve the customer demand, the transportation of items is made in addition of trains by trucks. To do that, a binary variable α_j is used to choose between these two cases, it takes 0 ($\alpha_j = 0$) if transport is done by trains and trucks and it takes 1 ($\alpha_j = 1$) if transport is done only by trains.

The stock $ST_{prt,itm}^{d,t}$ in port is an indicator to start or stop transportation by trucks, if this stock is less than security stock $SafST_{prt,itm}$, then $\alpha = 1$ consequently the part of routing by trucks in the formula 1 is equal to zero. These conditions are presented in the constraints (4), (5) and (6) as follow.

$$ST_{prt,itm}^{d,t} - SafST_{prt,itm} \leq M \cdot \alpha_j \quad \forall t \in T, d \in D, itm \in ITM \quad (4)$$

$$ST_{prt,itm}^{d,t} - SafST_{prt,itm} > 0 \quad \forall t \in T, d \in D, itm \in P \quad (5)$$

$$ST_{prt,itm}^{d,t} \leq SMax_{prt,itm} \quad \forall t \in T, d \in D, itm \in P \quad (6)$$

The purpose of the following constraint (7) is defining the quantity of products transported in each planning period:

$$\begin{aligned} Q_{itm}^{d,t} &= \sum_{t \in T} \sum_{d \in D} \sum_{itm \in ITM} NTrv_{Tr}^{d,t} \cdot QTrv_{Tr,itm}^{d,t} \\ &+ \sum_{t \in T} \sum_{d \in D} \sum_{itm \in ITM} NTrv_{Ca}^{d,t} \cdot QTrv_{Ca,itm}^{d,t} \cdot (1 - \alpha_j) \\ \forall t \in T, j \in J, p \in P, Gd \in P \quad (7) \end{aligned}$$

• Constraints associated to storage of items

To assure the continuity of items in the supply chain, it is required to guarantee the availability of items in the warehouses of different entities in order to serve and satisfy customers demands. This condition is formulated as follow:

Constraint (8) approves the availability of products are in warehouses of the various entities e.

$$SafST_{u,itm} < ST_{u,itm}^{d,t} \leq STMax_{u,itm} \quad \forall t \in T, d \in D, u \in U, itm \in ITM \quad (8)$$

Constraint (9) stipulate total of items itm in warehouses $ST_{u,itm}^{d,t}$ of unit u. It is equal to total of items stored in the unit u in the day d-1 plus the items produced or transported in the day d, less the items transported or demanded by clients.

$$ST_{u,itm}^{d,t} = ST_{e,itm}^{d-1,t} + QTP_{u,itm}^{d,t} - QTR_{u,itm}^{d,t} \quad \forall t \in T, d \in D, u \in U, itm \in ITM \quad (9)$$

• Constraints associated to the production and customer demands

The transported items $QTP_{u,itm}^{d,t}$ shouldn't surpass the maximal quantities of item itm can be produced in the unit u $PRMax_{u,itm}$. (see the constraint 10).

$$QTP_{u,itm}^{d,t} \leq PRMax_{u,itm} \quad \forall t \in T, d \in D, u \in U, itm \in ITM \quad (10)$$

The customers demand $QTR_{u,itm}^{d,t}$ shouldn't surpass the maximal quantities of item itm can be endured by the facilities in the unit u (see the constraint 11).

$$QTR_{u,itm}^{d,t} \leq CapMax_{u,itm} \quad \forall t \in T, d \in D, u \in U, itm \in ITM \quad (11)$$

• **The constraints related to the transport**

The items $QTrv_{Tr,itm}$ conveyed by trains in each travel shouldn't surpass the capacity of train to transport the items (see the constraint 12).

$$QTrv_{Tr,itm}^{d,t} \leq QTM_{Tr,itm} \quad \forall t \in T, d \in D, u \in U, itm \in ITM \quad (12)$$

Total of trips completed by trains in the day d of the planning period t, shouldn't surpass the maximum of transportation can be made by trains in a day (see the constraint 13).

$$NTrv_{Tr}^{d,t} \leq NRMax_{Tr} \quad \forall t \in T, d \in D, u \in U, itm \in ITM \quad (14)$$

Similar conditions constraints are considered using transportation by trucks (see the constraints 15 and 16).

$$NTrv_{Ca}^{d,t} \leq NRMax_{Ca} \quad \forall t \in T, d \in D \quad (15)$$

$$QTrv_{Ca,itm}^{d,t} \leq QTM_{Ca,itm} \quad \forall t \in T, d \in D, u \in U, itm \in ITM \quad (16)$$

VI. CONCLUSION

In this study, a basic search is conducted to develop a planning model specifically an integrated budgeting planning model, with the purpose to minimize the transportation cost between different units of the studied supply. To do that, a literature review on supply chain modelling approaches is directed also a review of a related works. This study is applied on a reel case study of a phosphate supply chain.

In this paper, a structured methodology is followed and the result is a model that defined the transportation cost of various products. It is a global model, that defined the specific models for each product during each planning period. This model is a Mixed Integer Programming belongs to the NP complete problems.

Actually, the last phase in the research methodology are started which is implementing and validating of the code in a solver software.

In the future work, we suggest to develop a specific budgeting model for each unit in the studied supply chain and to link this model to a specific simulation models.

REFERENCES

1. Olivier, C. et Létourneau, J., Modélisation du flux patient entre deux urgences, Proceedings de la 10 ième Conférence Internationale de Génie Industriel, La Rochelle, France 13 juin 2013.
2. Ellram, L. M., and Cooper, M. C.: The Relationship Between Supply Chain Management and Keiretsu. The International Journal of Logistics Management, vol. 4, no. 1, pp. 1–12, 1993.
3. Towill, D. R., Naim, M. M., and Wikner, J., Industrial Dynamics Simulation Models in the Design of Supply Chains, International Journal of Physical Distribution and Logistics Management, vol. 22, no. 5, pp. 3–13, 1992.
4. Stevens, G., Integration of the Supply Chain, International Journal of Physical Distribution and Logistics Management, vol. 19, no. 28, pp. 3–8, 1989.

5. Guillen, G. Badell, M and Puigjaner, L. A holistic framework for short-term supply chain management integrating production and corporate financial planning. International Journal of Production Economics, vol. 106, pp. 288–306, 2007.
6. Tsiakis, P. Shah, N et Pantelides, C.C. Design of multiechelon supply chain networks under demand uncertainty. Industrial and Engineering Chemistry Research, vol. 40, pp. 3585–3604, 2001.
7. Bok, J.W. Grossmann, I.E et Park, S. Supply chain optimization in continuous flexible process networks. Industrial and Engineering Chemistry Research, vol. 39, pp. 1279–1290, 2000.
8. Arntzen, B.C, Brown, G.G, Harrison, T.P, Trafton, L.L., Global supply chain management at Digital Equipment Corporation, Interfaces, vol. 25, pp. 69-93, 1995.
9. Ozdamar, L. and Yazgac, T., A Hierarchical Planning Approach for a Production-Distribution System, International Journal of Production Research, vol. 37, pp. 3759 – 3772, 1999.
10. Jayaraman, V., Pirkul, H., Planning and coordination of production and distribution facilities for multiple commodities, European Journal of Operational Research, vol. 133, pp. 394-408, 2001.
11. Matta, R.D. and Miller, T., Production and inter-facility transportation scheduling for a process industry, European Journal of Operational Research, pp. 158, 2004.
12. Rizk, N., Martel, A., D'amours, S., Synchronized production distribution planning in a single-plant multi-destination network, Journal of the Operational Research Society, vol. 59, pp. 90-104, 2008.
13. Lee, Y.H., Kim, S.H., Production-distribution planning in supply chain considering capacity constraints, Computers and Industrial Engineering, vol. 43, pp.169-190, 2002.
14. Imen, S.,et al., Planification séquentielle tactique-opérationnelle d'une chaîne logistique textile, Proceedings de la 9 ième Conférence Internationale de Génie Industriel, France, 2011.
15. Christopher, M., Logistics and supply chain management: creating value-added networks, Pearson education, 2005.
16. Gunasekaran, A., and Kobu, B., Performance measurements and metrics in logistics and supply chain management: a review of recent literature for research and applications, International Journal of Production Research, vol. 45, pp. 2819-2840, 2007.
17. Mocellin F., Gestion des entrepôts et plates-formes, Dunod, France, 2006.
18. Kleijnen J.P.C. Supply chain simulation tools and techniques: a survey. International Journal of Simulation & Process Modelling 2005; 1 : 82-89.
19. Min H., Zhou G. Supply chain modelling: past, present and future, Computers & Industrial Engineering 2002; 43: 231-249.
20. Labarthe O. Modélisation et simulation orientées agents de chaînes logistiques dans un contexte de personnalisation de masse : modèles et cadre méthodologique, Phd thesis University Paul Cézanne Marseille2006 : 30-100.
21. Ganesan R., Jack E., Magazine M.J., Stephens P. A Taxonomic Review of Supply Chain Management Research in Quantitative Models for Supply Chain Management. Kluwer Academic Publishers, Boston 1998: 841-880.
22. Harrel C., Tumay K. Simulation made easy. Engineering & Management Press 1994.
23. Harrison T.P. Global Supply Chain Design. Journal of Information Systems Frontiers 2001;3: 413-416.
24. Beamon M. Supply chain design and analysis: models and method. International Journal of Production Economics 1998;5: 281-294.
25. Molchanov A. V., Korsunov V. P., Berdnova E. V. Mathematical modelling of a farm enterprise value on the agricultural market with the method of restructuring ordered sets. Journal of Fundamental and Applied Sciences 2017;9(1S): 889-898.
26. Sanchoy K. Das & Hossam Shahin. Models for supply chain vendor selection in e-markets, Journal of the Chinese Institute of Industrial Engineers, 200320:3, 231-239.
27. Erfan Rahimi, Mohammad Mahdi Paydar, Iraj Mahdavi, Javid Jouzdani & Amir Arabsheybani. A robust optimization model for multi-objective multi-period supply chain planning under uncertainty considering quantity discounts, Journal of Industrial and Production Engineering, 2018;35:4, 214-228.
28. Talari Chinna Pamulety, Joby George & V. Madhusudan Pillai. An inventory position-based policy for better supply chain performance, Journal of Industrial and Production Engineering, 2017;34:3, 180-198.
29. Arntzen B.C., Brown G.G., Harrison T.P., Trafton L.L. Global supply chain management at Digital Equipment Corporation. 1995;25: 69-93.



30. Rafia Afroz, Aatur Rahman, Md Muhibbullah, Niaz Morshed. Malaysians Automobile Industry and Green Supply Chain Management International. Journal of Recent Technology and Engineering (IJRTE), Volume-7, Issue-6S, March 2019: 158-162
31. P. Vijayalakshmi, J. Merline Vinotha Environmentally Liable Multi-Objective Multi Time Span Fuzzy Fractional Capacitated Transportation Problem in the Two Echelon Supply Chain with Heterogeneous Items and Mixed Constraints. International Journal of Recent Technology and Engineering (IJRTE), Volume-8, Issue-2S3, July 2019:728-736
32. J. Merline Vinotha, W. Ritha, I. Antonitte Vinoline, Nivetha Martin, P. Vijayalakshmi. Multi-Objective Multi Time Span Fractional Capacitated Transportation Problem in the Two Echelon Supply Chain with Multiform Items and Mixed Constraints. International Journal of Recent Technology and Engineering (IJRTE), Volume-8, Issue-2S3, July 2019: 462-468
33. Tayur S., Ganeshan R. Quantitative models for supply chain management, Kluwer Academic Publishers, 1999.
34. Alwadood Z., Shuib A., Hamid N.A. Priority based technique for rescheduling trains. Journal of Fundamental and Applied Sciences 2017;9(5S): 451-465.
35. Baldwin L. P., Eldabi T., Paul R. J. Simulation in healthcare management: a soft approach. Simulation Modelling Practice and Theory 2004;12: 541-557.
36. Su S., Shih C.L. Modeling an emergency medical services system using computer simulation. International Journal of Modeling Information, 2003;72: 57-72.
37. Law A. M., McComas M. G. How to build valid and credible simulation models. Proceedings of the Winter Simulation Conference 2001: 22-29.
38. Azougagh Yassine, Benhida Khalid and Elfezazi Said, "Supply Chain Modeling and Simulation using SIMAN ARENA a Case Study" International Journal of Advanced Computer Science and Applications (IJACSA), 10(3), 2019.
39. Yassine Azougagh, Khalid Benhida, Said Elfezazi. "Contribution to the modelling and analysis of logistics system performance by Petri nets and simulation models: ", IOP Conference Series: Materials Science and Engineering, 2016.
40. Benhida Khalid, Yassine Azougagh, and Said Elfezazi. "Modelling flows in supply chain with analytical models: Case of a chemical industry", IOP Conference Series Materials Science and Engineering, 2016.



DAHMANI Nouredine is a PHD student at the Department of Engineering Science, Faculty of Science and Technology, Cadi Ayyad University, Marrakech, Morocco. He is doing his PhD in the area of Green Lean design in product development. He has about 2 years of industry experience. His research interests include product design, Lean product development, sustainable product, lean design, design methodologies and Eco design.

AUTHORS PROFILE



Azougagh Yassine is a PHD student in the doctoral study center of the Cadi Ayyad University, Marrakech, Morocco. He is an Industrial Engineer, His research areas of interest are logistics, supply chain, modelling supply chain approaches, optimization supply chain approaches. He has about one year of teaching experience. Also, is a member of the Research Laboratory in Process, Signals, Industrials Systems and Computing.



Benhida Khalid is a Professor at Cadi Ayyad University, Marrakech, Morocco in Superior School of Technology Safi, also Director of Licence of Metrology, Quality, Safety, Environment Engineering and Director of Department of Instrumental Technique and Quality Management. His is a member of the Laboratory Process, Signals, Industrials Systems and Computing. His domain of research comprise supply chain modeling, project management, electronics, product and eco design. In addition, before joining the field of education, he was responsible for the development of industrial projects in a multinational company in France. Mr. Benhida holds a PhD of Science degree in Electronics Engineering from a French University and State Doctorate in industrial engineering and electronics from Cadi Ayyad University.



Elfezazi Said is a Professor at Professor at Cadi Ayyad University, Marrakech, Morocco. His is a member of the Research Laboratory in Process, Signals, Industrials Systems and Computing. His research interests include supply chain management, supply chain modelling, Lean Six Sigma, Lean Manufacturing, production and operation management, quality management. Mr. Elfezazi has a PhD degree in Science and industrial Engineering.