

Smart Home based Big Data Analysis for Healthcare Applications

R.Ramprashath, R.Gomathi, V.Ananthanarayanan, J.Ashok Lingam Mahipaul

Abstract: At present, there is a constant migration of people is encountered in urban regions. Health care services are considered as a confronting challenging factors, there is an extremely influenced by huge arrival of people to city centre. Subsequently, places all around the world are spending in digital evolution in an attempt to offer healthy eco-system for huge people. With this transformation, enormous homes are equipped with smarter devices (for example, sensors, smart sensors and so on) which produce huge amount of indexical data and fine-grained that is examined to assist smart city services. In this work, a model has been anticipated to utilize smart home big data analysis as a discovering and learning human activity patterns for huge health care applications. This work describes and highlights the experimentation with the analysis of vigorous data analysis process that assists healthcare analytics. This procedure comprises of subsequent stages: understanding, collection, cleaning, validation, enrichment, integration and storage. It has been resourcefully utilized to processing of data types variety comprising clinical data from EHR.

Keywords: Electronic healthcare record, transformation, smart city, activity patterns, human activity pattern

I. INTRODUCTION

In recent few days, this work considers numerous resourceful applications of Machine learning approaches like Convolutional Neural network (CNN) on Electronic Medical records (EMR) which comprises patients' diagnostic history, medicines provided and other factors to identify present and future patients' state [1]. The present diagnosis is associated to two primary factors. Initially, Artificial Intelligence has been constantly making huge significance with Machine learning techniques and algorithms [2]. Subsequently, even though certain confronts and factors (e.g. privacy and security concerns) that may remain, private and public sectors have initiated to recognize the requirements to create EMRs more probably to leverage ML power in clinical practices. These two significances have generated surge of Machine Learning applications in EMRs, numerous these are utilized in CNN based methods [3]. Indeed of increasing and popularity of CNN performance, there prevails numerous confronts to prevail over full computation by clinical factors [4]. A primary confront is domain specific to recognize why it makes

specific recognition. Also, experts recognize that these requirements involved in enhancing CNN performance by offering appropriate assistance to diminish cost based errors [5]. However, it will not be an established approach to interactively leverage users' domain based expertise and appropriate knowledge as inputs for model steering [6].

Therefore, this work attempts to handle interpretability problem and interactivity by modeling visual analytics resolution with CNN based approach for predictive tasks analysis on EMR data [7]. This task is to recognize patients' future prediction risk in cataract and heart failure based on information from prior medical examination in diverse EMR dataset [8]. This model investigates iterative design involvement, discussion and assessment among artificial intelligence and visual analytics scientist's investigators [9]. After measuring all these users' task, here designing, evaluation and implementation of visual analytics tool which is termed as interpretable, interactive, CNN based approach that may accomplish users' requirement [10].

This investigation determines effectual utilization of analysis model for attaining huge perspectives to model CNN for EMR data utilizing real medical records of patients with cataract and heart failure [11]. This investigation also depicts how these substantial variations to prevailing CNN model termed as retainment, henceforth modeling a novel approach termed as extension to utilize temporal analysis and concurrent improve interpretability and interactivity [12]. Diverse visualization coupled with newer model facilitates users to examine patterns to validate hypotheses and to recognize various patients' stories from patient's medical histories [13]. This investigation is to offer essential researchers guidelines to model interactive and interpretable visual analytics tool with CNN [14]-[15]. The subsequent contribution of these items is summarized as follows:

- 1) This work introduces interactive and interpretable Machine learning model termed as retainment for predictive tasks utilizing EMR data by enhancing prevailing model with added feature for improving temporal information and interactivity.
- 2) This work models and designs visual analytics termed as retainment which may significantly merges enhanced machine learning models with visualization design and interactions.
- 3) This work performs quantitative analysis and studies with real EMR of patients and demonstrates learning models.

The remainder of the work organized as: Section II demonstrates background studies of prevailing EMR prediction model, Section III

Revised Manuscript Received on April 15, 2020.

R.Gomathi, Assistant Professor, Department of MCA,Karpagam College of Engineering, Coimbatore, India. Email: gomathikce@gmail.com

R.Gomathi, Assistant Professor, Department of MCA,Karpagam College of Engineering, Coimbatore, India. Email: gomathikce@gmail.com

V.Ananthanarayanan, Student, Department of MCA,Karpagam College of Engineering, Coimbatore, India. Email: gomathikce@gmail.com

J.Ashok Lingam Mahipaul, Assistant Professor, Department of Computer Science, Sri Sankara Bhagavathi Arts and Science College, Tirunelveli, India. Email: ashok31may@gmail.com

depicts anticipated learning approach based on retainment by analyzing feature patterns. Section IV illustrates numerical analysis and discussion with respect to proposed idea. Section

V offers conclusion of retainment model with suggestions for future extension.




Fig. 1. Generic smart home environment

II. RELATED WORKS

The end users of visual analytics approach comprise healthcare professionals, physicians and medical investigators who may access records of electronic medical records (EMRs) [16]. They require solution to various questions associated to prediction, prescription and other certain medical events. One essential task is to appropriately compute present and future conditions of patients. As well, they need to examine generalized patients' patterns with similar target results in case of diabetes [17]. Experts may frequently need to perform analysis over patients by validating hypothetical circumstances.

With various kinds of other tasks in medical domain where deep learning and machine learning approaches can be utilized, that may choose diagnostic risk prediction task [18]. Some medical domain experts may specifically concern towards predication task whether patient may be diagnosed with illnesses like heart failure with appropriate visit information [19]. Henceforth, this is formulated as task setting based on observation with patients visit that has not been recognized with appropriate illness (for instance, heart failure) and may recognize whether she or he may be diagnosed with illness during every visit stage [20], most probably with some generalized setting in sequential neural network model as anticipated in prevailing model.

Human activities based detection in smart homes by examining smart meters based data is investigated in [21]. This work anticipated two methods to examine and to identify user's regular work. This model utilizes semi-markov model for individual habitat detection and data training and other models may initiate impulse based approach to identify Activity in Daily Living (ADL) which concentrates on activity based temporal analysis that occurs concurrently. As well, in [22] the author anticipated human activity based detection for individual health monitoring of elderly people with sensor classification associated to certain significant activities in smart home environment. Data of smart meters

are utilized in [23] for activity recognition with Non-intrusive appliance based load monitoring and D-S evidence theory. This work gathers all pre-processed data from homes to describe electrical appliance utilize patterns and machine learning based approaches to segregate foremost activities inside home. Some issues is this investigation has to carry out two phases on data to isolate completely with significant activities.

Data analytics utilization with smart meters predicts and detects abnormality behavioral for remote health monitoring as in [24]. Author in [25] utilize appliances every day from smart plug data and smart meter to identify appropriate activities and understand unique time segmenting clusters of energy consumption appliances. Various studies utilized hierarchical probabilistic model based recognition to detect anomalous discovered characteristics. This is utilized to recognize certain abnormal characteristics criticality for maintaining superior health care data.

Authors in [24] recommended diverse clustering model to recognize consumers' temporal consumption pattern based distribution, moreover, studies does not determine appliance level utilization details. This may not be utilized for diverse human activity recognition as some activities need multiple and individual appliance to time association and appliances. Some investigation measures ON and OFF state of appliances to identify patterns using c-means and hierarchical clustering. Moreover, investigation does not measure appliance usage duration or expected variations in appliance usage sequence. Author in [25], anticipated graphical model dependent approaches to identify human characteristic and interdependency appliance pattern and utilize it to identify usage of multiple appliances with Bayesian model.

III. PROPOSED MODEL

Dataset utilized in this investigation is to collect smart meters data collected from millions of houses in India. This dataset comprises of huge raw

records at 6 seconds time resolution. In initial stage, cleaning process was generated in customized manner to eliminate noises from data and organize it for mining huge data. After preparation and cleaning process, data will be reduced to roughly of 20 million. As well, some synthetic dataset for preliminary model computation holds about one million records.

a. Data with non-uniform time intervals

However with some generalized CNN, it does not consider time intervals among data visits, temporal factors are considered as a baseline for disease prediction. For example, bursting some events for shorter time period may predict serious illness manifestation, while longer hibernation among events may specify that there is no influential for disease prediction. To exploit temporal information, this work integrates date as added features to input vectors with CNN model. With provided timestamp sequences, $t_1, t_2, t_3, \dots, t_T$ may be attained with 'T' interval values $\Delta t_1, \Delta t_2, \dots, \Delta t_T$ with $\Delta t_i = t_i - t_{i-1}$. This work considers primary visit that may be unaffected with time constraints by placing Δt_1 to 1. For all Δt_i , compute time differences of all single intervals that are: 1) Δt_i (time interval), $\frac{1}{\Delta t_i}$ (reciprocal value), $\frac{1}{\log(e + \Delta t_i)}$ (exponential decay value). Some representation is provided with time interval based information that is merged with retainment. These three values are concatenated with input vectors of all step, to nourish information of all model. This information is added to learn utilization of various time information kinds and corresponding prediction outcomes. Analysis demonstrates that timing information may drastically enhance prediction performances.

Some values are concatenated with input vectors of all steps, to nourish collected information in this model. This work adds some three specification of timing interval as this model may learn utilization of numerous kinds of time based information and assistance towards prediction outcomes. Experimental outcomes depicts that the anticipated model regarding time information may drastically enhances predictive performance.

b. Data transformation using K-means clustering

Grouping of objects of similar kind is termed as clustering. Clustering offers a significant role in numerous data mining like: scientific data exploration, Information retrieval and text mining, Spatial database applications, Web analysis, CRM and marketing, Medical diagnostics, Computational biology and many others.

Fig. 2 shows the samples of clustering. Here, we have considered k-means clustering for analyzing the data and broadcasting the data using it:

This journal uses double-blind review process, which means that both the reviewer (s) and author (s) identities concealed from the reviewers, and vice versa, throughout the review process.




Fig. 2. Clustering nodes

All submitted manuscripts are reviewed by three reviewer one from India and rest two from overseas. There should be proper comments of the reviewers for the purpose of acceptance/ rejection. There should be minimum 01 to 02 week time window for it.

Algorithm 1:

Step1: Select the value of K , which is nothing but number of clusters.

1. Choose Value of 'K', which is number of clusters.
2. Select 'k' object in a random manner. This is turned out to be initial centroids.
3. Objects which are nearer to clusters will be allocated or forwarded to certain group (known as clusters) in which objects are closer to centroid of network cluster.
4. Re-evaluate centroid for freshly attained 'k' clusters.
5. Repeat step 3 & 4 till entire objects has been removed.

The objective of k-means clustering is to locate objects to closer to nearest cluster with assistance of centroid condition and nearest neighbour search condition.

It is anticipated that grouping of original data and transformed data is significantly to evaluate the performance of proposed technique. The clusters generated will be analyzed and compared. The anticipated methods are flexible; any data mining approach can be utilized over transformed data and can be utilize accurate secure outcomes.

c. Activity based feature extraction

The ultimate objective is to extract human activity patters from diverse smart meter data. For instance, activities like cooking, watching TV, computer usage, food preparation, clothing and cleaning vessels are generally used routines. The target is to identify patterns of some activities, therefore some health care applications may sense some appropriate variations in patients characteristics (for instance, patients belongs to cognitive impairments) may transmit sensible alert to health care providers. While pursuing these kinds of processes, every appliance has to register active functionality for every thirty minutes based timing interval that are included into source database for appropriate data mining pattern. Samples of some active functionality of appliances may specify three diverse activities at home. Energy traces of all appliances like (Oven, TV and treadmill) are associated with human functionalities like relaxation time, leisure, and exercising and food preparation. Some samples demonstrate probable relationship among appliance activities and usage as depicted in Fig. 1.

Extraction of human activity patterns are not only recognizing individual appliance functionality, however every other association among appliance to appliance functions, that is, activity patterns are merged together with functions like watching TV or exercising while washing clothes. The major contribution of this model is dependent on [25], which anticipate FP growth and pattern growth method with divide and conquer and depth first search approaches. Moreover, these functions may work effectually during offline, which may not be probable for health applications that need prompt reaction for making decisions. Henceforth, this work anticipated a novel approach that considers advantages of pattern growth functionalities and enlarges it to acquire incremental frequent pattern progression in every quantum of 24 hours, that is, frequent patterns are hauled out from data consisting of appliance utilization tuples for all 24 hours in a progressive way. A wide ranging details regarding anticipated incremental frequent pattern is determined in prevailing works; for completeness sake in this work. This work briefly demonstrate various preliminaries an offer algorithm that demonstrates incremental analysis process.

Algorithm 2:

Input: dataset transaction, frequent data pattern analysis

Output: Incremental frequent pattern analysis

1. Transactional data is slicing dataset
2. Demonstrate database size
3. Analysing frequent pattern with FP-growth
4. For all frequent pattern do
5. Searching frequent data pattern
6. If frequent data pattern then
7. Update data
8. Else
9. Add newer pattern
10. End if
11. End for
12. For all incremental frequent data patterns
13. End for

d. k – means data clustering

Analyzing time based associations for home care appliances is essential for health care applications that observe patients activity patterns on regular basis. Here, clustering analysis based methods are utilized to identify appliance utilization time based on hour basis (0-24), day time (Morning, afternoon, evening and night), every day, weekly, month and year.

Time based association for home care are undergoing information in time series based smart meter data which holds closer time stamps appropriately, when appropriate appliances are recorded with operational and active data. With these active data, some classes are grouped or clustered with home appliances that are overlapped or simultaneously. Cluster size may demonstrate that these associations are depicted as membership count in cluster along with relative strength. Cluster analysis is process of generating classes (unsupervised classification) or cluster/segments (automatic segmentation) or partitioning those members that possess similarity with one another, it will be unrelated from members of other clusters. Various benefits of cluster based analysis are considered to be non-supervised processing nature.

Here, 30 minutes were chosen for slicing and time span computation for cluster segmentation which may drastically capture relationship while reducing number of segments generated, that is, generation of maximal of 50 clusters every day, while other clustering approaches like week days, time days and monthly days have segmentation naturally. For all dataset, database holds data points in Euclidean space. Cluster based partitioning provides data point from dataset to ' k ' clusters, C_1, C_2, \dots, C_k with centroids c_1, c_2, \dots, c_k such that $C_i \cap C_j = \emptyset$ and $c_i \neq c_j$ for $(1 \leq i, j \leq k)$. An objective function dependent on Euclidean distance, where

$$\text{distance}(x, y) = \sqrt{\sum_j (x_j - y_j)^2}$$

is utilized to compute cohesion along with data points that reflects cluster quality. Objective of this work is computation of sum of squared error (SSE), where $SSE = \sum_{i=1}^k \sum_{d \in C_i} \text{distance}(d, c_i)^2$, and k -cluster algorithm to reduce SSE. Utilization of scoring is to demonstrate Euclidean distance to describe optimal cluster amount, that is, ' k '. Here, incremental clustering is attained with consolidation of prevailing and newer clusters of all successive mining operation in dataset. Incremental procedure is attained with all appropriate cluster parameter like SSE, centroid, distance and data points from centroid are measured in dataset. Algorithm fulfills speed and efficiency of all operation that are determined. The relationship between appliance operation and use of time is provided above. Inter appliances based associations are utilized for predicting functionality in houses.

In this approach, progressive incremental clustering is attained using consolidation of prevailing and newly identified groups of all successive mining functions to database. This incremental procedure is attained with appropriate clustering factors like SSE, centroid, co-efficient, distance and data points from those centroids that are recorded in database. Algorithm may validate speed and efficiency of those operations that are provided in [25]. Fig. 2 depicts clustering analysis of all day time and week days for all smart houses in dataset. These figures demonstrate relationship among appliance operation and usage time. Information along with inter appliances associations are utilized for predicting activities inside smart houses.

a. CNN classification

CNN model comprises of various layers. Input layers are featured input. This is also known as data layer, while output region of complete network is termed as lossy layer to compute performance of network as classification accuracy, training loss and so on. However, CNN comprises of data layer from input, loss layer and numerous hidden layers for training process. Hidden layers are measured as backbone of neural network. This is considered to be a most effectual part. Layers comprise of vision, normalization and activation layers.

In data layer, image input is provided to raw images. In output, accuracy and soft-max layer are chosen to output classification accuracy and training loss to access this model. It is utilized to direct network to examine energy of featured image.

There exists some hidden layer constructed with normalization, convolutional, pooling and fully connected layer. These layers are provided as vision groups. Higher dimensionality CNN framework is provided as deeper as learning capability is extremely higher. CNN dimensionality has to be set as certain crisis to fulfill model based property that fits it. Another parameter that shows major concerns towards CNN model was activation and pooling layers. Pooling layer may reduce feature dimensionality by merging outputs from clusters of previous layers. This functionality is utilized to eliminate over fitting and to improve computational functionality. Pooling are generally selected from average or maximal value. Activation layer is utilized to enhance non-linear functionality for making appropriate decisions while classification. More specifically, it is effectual for resolving multi-label classification crisis. Activation functions are carried out to choose maximal three pooling layers and average layers.

The anticipated CNN model is simpler and will not provide any complex changes. It is alike of conventional model in computer vision regions. This architecture is engaged to resolve concerns like object recognition face and gesture identification. Benefits of backward propagation, self-learning and local feature extraction are utilized in conventional crisis. Moreover, CNN is used as an image forensics estimator as an application. Some essential modifications required for making an appropriate CNN adoption is re-sampling rate estimation.

The most essential part of anticipated model is to acquire successful modeling that has to make accuracy for re-sampling image diagnosis based on re-sampling essence. It is achieved via interpolation approaches. Therefore, these manipulations of every pixel in re-sampled images are an interpolated pixel. Interpolated pixel value has to be close to neighborhood in original images. Subsequently, interpolated pixels have to be allocated with similar intensity in local regions as it may share enormous neighborhood. Therefore, for scaling, pixel interpolation in similar region, lesser gradients is localized. Subsequently, it consumes lesser energy. For image downscaling, some pixels are interpolated in local regions, differences in values are enlarged. However, huge pixels with superior gradients are found to provide superior energy for image downscaling. To acquire pixel gradients alteration through machine learning, feature extraction may provide scalable energy information that is need to be generated. As well, this model is constructed with CNN. It is originally provided to resolve this crisis. It is proven that image content may influences CNN model during decision making. For this, re-sampling rate should show some desirable impacts.

Algorithm 3:

1. Parameter initialization
2. While $1 \leq i \leq \text{Max iteration}$ do

$$\text{Accuracy} = \frac{TP \text{ frequency} + TN \text{ frequency}}{TP \text{ frequency} + FN \text{ frequency} + TN \text{ frequency} + FP \text{ frequency}} \quad (5)$$

e. F- measure

F1 score is a measure of test's accuracy and defined as the weighted harmonic mean of precision and recall of the test.

f. Recall

3. Provide element weight in CNN kernel
4. If $n < 10$ then
5. Do padding to validate CNN size
6. End if
7. Convolute input image
8. Process energy feature mapping
9. End while
10. Passing energy feature map
11. Update parameters
12. If convergence then
13. Exit
14. End if
15. End

Here, feature mapping is based on processing of energy featured map. Computation is based on P_T and P_C that is processed with Eq. (1):

$$\varepsilon = \sqrt{|(P_T)^2 - (P_C)^2|} \quad (1)$$

Where P_C is central pixel of image block. ε is energy factor of pixel. P_C is extremely relevant to image energy. ε value is allocated with P_C as this value is concerned with feature mapping. As an outcome, it is depicted that human eyes are sensitive to high contrast regions which may be the cause of contrast improvement is used to enhance image quality.

IV. NUMERICAL RESULTS

Here, simulation has been done in MATLAB simulation environment. here 5 fold cross validation is used to evaluate classifier, where it works in 80: 20 ratio, where 80% of data is for training data and 20% is left for testing.

a. Sensitivity (TPR)

It is depicted as positive tuples that are classified appropriately.

$$TPR = \frac{TP \text{ frequency}}{TP \text{ frequency} + FN \text{ frequency}} \quad (2)$$

b. Specificity (FPR)

It is depicted as negative tuples which is classified appropriately.

$$FPR = \frac{TN \text{ frequency}}{FP \text{ frequency} + TN \text{ frequency}} \quad (3)$$

c. Precision

It is depicted as ratio of TP will all possible positives results.

$$\text{Precision} = \frac{TP \text{ frequency}}{TP \text{ frequency} + FP \text{ frequency}} \quad (4)$$

d. Accuracy

Percentage of Tuples are appropriately classified with specific algorithm

Recall refers to percentage of total relevant results correctly classified by proposed algorithm.

1) Patient List

With patients' list, some list of chosen patients are considered where users may utilize and



evaluate multiple patients With this list, every patients hold visiting record which is specified as rectangular boxes placed horizontally by various existing works for sequence visualization. Every box is provided with diverging color strategy of line scale to specify some of scoring contribution of every code in this visit. With rightmost visiting boxes, prediction based circle icons are utilized. This may strengthen the prediction based diagnostic risks. With this perspective, users may roughly provide glance over temporal score based contribution pattern of all individual patients and choose every patient for deeper driven examination. Score based contribution depicts that every medical code and some consequences provide predictive certainty. This significance is most essential interpretability unit by demonstrating relationship among prediction outcomes and event sequences.

2) Patient Details

Details of patients are collected based on concentrated perspective of single patient. It comprises of three diverse perspectives. Initial view is line chart based prediction score. Predictive diagnosis is measured as a risky factor for some time sequences, this may be computed win following manner. 1) Commencing initial visit, prediction of diagnostic risk by validating preceding visits till appropriate visit; 2) Prediction diagnosis computation based on patient risks where ‘N’ is total amount of patient’s visiting/day. 3) Computation is also done with score contribution of all individual medical codes for predictive risks which is cast off in temporal code chart. This chart demonstrates score contribution of all medical data for every patient’s. Some views are similar to horizontal arrangements/visit in patients list. With all these patients’ details, mapping of horizontal spacing for temporal regression and contribution score based vertical spacing with diagnostic risks. Here, users are competent to notice correlation among contribution of predictive risks and medical codes.

3) Editorial analysis

Patients based editor facilitate users to perform what are the ways for analysis. There are two methods to appeal this editor. Initially, users may choose every patient along with patients list and promotes a pop up dialog for patient editor. It offers dedicated space for performing editing for chosen patients in medical codes. It offers every visit horizontally in temporal method and validates every medical code downwardly as in Fig. 3. User performs sorting of medical codes based on visit either with code type and contribution score. This layout easily facilitates choosing of medical codes to perform appropriate changes for interaction. Subsequently, users may transform details of patients to editorial box by explicitly selecting context based menu option. By performing this, users may preserves context during medical code generation and considering patients visit if it concentrates only on patient’s detail. Moreover, user loses their original version only when it directly edits patient’s data. As well, there is a tradeoff among these approaches, here both features are executed and facilitate users to select their convenience.




Fig. 3. ROC computation




Fig. 4. Data validation




Fig. 5. Training accuracy




Fig. 6. Testing accuracy




Fig. 7. Specificity Vs sensitivity

4) ROC curves

Classification accuracy is determined using ROC curve as in Fig. 10. This curve is generally plotted based on the TPR and FPR at diverse threshold values. TPR is also determined as recall or sensitivity and FPR is also determined as fall out. This shows ROC curve is plotted between fall out and sensitivity of classifier. Fall out is depicted as one from specificity that is well known.

5) Mathew’s correlation coefficient

MCC works as a classification measure in binary class problems. Its value ranges from -1 to +1. +1 means classifier always identifies appropriate label, while, -1 means classifier usually has an error or mistake in it. Moreover, 0 specifies random prediction. MCC is provided as in Eq. (6):

$$MCC = \frac{(TP \cdot TN) - (FP \cdot FN)}{\sqrt{(TP + FP)(TP + FN)(TN + FP)(TN + FN)}} \quad (6)$$

Table- I: Feature extraction

65523.5	65520.7	65523.95	65521.3	199.938	244.938	192.75	235.88
65516.1	65511.4	65516.86	65516.2	318.063	393.125	306.188	316.5
65505.8	65501.1	65513.73	65504.1	483.188	557.875	356.313	509.94
65517.2	65512.9	65517.64	65517.1	300.938	369.75	293.688	302.75
65524	65524.7	65525.19	65524.2	192.688	181.438	173	188.81
65509.6	65504.3	65511.4	65507.7	423	507.313	393.563	453
65503	65492.7	65506.19	65495.1	528.75	693.063	476.938	655
65515	65511.9	65520.24	65512.2	336.188	386.25	252.188	380.69
65505.6	65500	65506.38	65501.3	486.688	576.188	474	555.25
65494.7	65489.8	65495.6	65484.6	660.375	738.688	646.438	822.63
65519.6	65513.2	65517.9	65511.5	263	365.125	289.625	392.06
65493.7	65479.5	65496.43	65484.8	676.375	904.25	633.125	820
65513.7	65503.2	65512.3	65505.6	356.188	525.125	379.188	485.94
65500.6	65488	65499.91	65491.8	566.313	767.25	577.438	707.75
65480.5	65478.6	65495.89	65477.3	888.625	918.813	641.75	938.5
65505.6	65495.4	65504.46	65499.1	485.625	650.063	504.563	590.88
65501.4	65493.9	65505.48	65495.3	552.875	673.313	488.313	650.75
65510.8	65503.2	65513.3	65504	403.688	524.75	363.188	512.19
65497.1	65488.1	65499.89	65490.2	622.125	766.75	577.75	733
65492.5	65488.2	65497.29	65485.2	696.5	765.375	619.375	813.56

This work evaluates CNNs with cross-validation. Lung nodules are partitioned for training, validation, and testing phases. In cross-validation, 10% patients are utilized for testing. To enhance training and testing, slices are cropped and rotated in 90, 180, and 270 degree angle correspondingly.

V. CONCLUSION

In this work, the author presented an approach for predicting human activity based patterns from smart home based data. General human behavior and habits utilizes pattern that may be utilized in health care applications to handle individuals who is living alone and handling various self-limiting conditions. These human activities and patterns from appliances and time based association are considered as with CNN. The provided incremental frequent pattern and

prediction approach is based on CNN. In this present work, some experimentation are carried out and considered 24 hours a day was providing optimality for data analysis; however the model is built to work with a time quantum. From experimental outcomes and applicability of anticipated model to appropriately identifying numerous appliance utilization and offer a longer and shorter term of prediction at superior accuracy.

REFERENCES

1. G. O. Young, “Synthetic structure of industrial plastics (Book style with Nilsson, N. J. (2014). Principles of artificial intelligence. Morgan Kaufmann.



2. Kim, J. M. (2015). Copula Causality to Bioinformatics and Finance.
3. Bengio, Y., Courville, A., & Vincent, P. (2013). Representation learning: A review and new perspectives. *IEEE transactions on pattern analysis and machine intelligence*, 35(8), 1798-1828.
4. Böhmer, M., De Luca, E. W., Said, A., & Teevan, J. (2013, February). 3rd workshop on context-awareness in retrieval and recommendation. In *Proceedings of the sixth ACM international conference on Web search and data mining* (pp. 789-790). ACM.
5. Larose, D. T. (2014). *Discovering knowledge in data: an introduction to data mining*. John Wiley & Sons.
6. Radford, A., Metz, L., & Chintala, S. (2015). Unsupervised representation learning with deep convolutional generative adversarial networks. arXiv preprint arXiv:1511.06434.
7. Pathak, D., Krahenbuhl, P., Donahue, J., Darrell, T., & Efros, A. A. (2016). Context encoders: Feature learning by inpainting. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition* (pp. 2536-2544).
8. Zenil, H., Kiani, N. A., & Tegnér, J. (2017). Low-algorithmic-complexity entropy-deceiving graphs. *Physical Review E*, 96(1), 012308.
9. Radford, A., Metz, L., & Chintala, S. (2015). Unsupervised representation learning with deep convolutional generative adversarial networks. arXiv preprint arXiv:1511.06434.
10. Eigen, D., Rolfe, J., Fergus, R., & LeCun, Y. (2013). Understanding deep architectures using a recursive convolutional network. arXiv preprint arXiv:1312.1847.
11. Qi, Y., Wang, Y., Zheng, X., & Wu, Z. (2014, May). Robust feature learning by stacked autoencoder with maximum coreentropy criterion. In *Acoustics, Speech and Signal Processing (ICASSP), 2014 IEEE International Conference on* (pp. 6716-6720). IEEE.
12. Gopalan, R., Li, R., & Chellappa, R. (2014). Unsupervised adaptation across domain shifts by generating intermediate data representations. *IEEE transactions on pattern analysis and machine intelligence*, 36(11), 2288-2302.
13. Schmidhuber, J. (2015). Deep learning in neural networks: An overview. *Neural networks*, 61, 85-117.
14. Deng, L. (2014). A tutorial survey of architectures, algorithms, and applications for deep learning. *APSIPA Transactions on Signal and Information Processing*, 3.
15. Kwon, D., Kim, H., Kim, J., Suh, S. C., Kim, I., & Kim, K. J. (2017). A survey of deep learning-based network anomaly detection. *Cluster Computing*, 1-13.
16. Bhatia, N., & Rana, M. C. (2015). *Deep Learning Techniques and its Various Algorithms and Techniques*.
17. Lv, Y., Duan, Y., Kang, W., Li, Z., & Wang, F. Y. (2015). Traffic flow prediction with big data: a deep learning approach. *IEEE Transactions on Intelligent Transportation Systems*, 16(2), 865-873.
18. Ioannidou, A., Chatzilari, E., Nikolopoulos, S., & Kompatsiaris, I. (2017). Deep Learning Advances in Computer Vision with 3D Data: A Survey. *ACM Computing Surveys (CSUR)*, 50(2), 20.
19. Romero, A., Gatta, C., & Camps-Valls, G. (2016). Unsupervised deep feature extraction for remote sensing image classification. *IEEE Transactions on Geoscience and Remote Sensing*, 54(3), 1349-1362.
20. Stober, S., Sternin, A., Owen, A. M., & Grahn, J. A. (2015). Deep feature learning for EEG recordings. *arXiv preprint arXiv:1511.04306*.
21. Zhong, G., Wang, L. N., Ling, X., & Dong, J. (2016). An overview on data representation learning: From traditional feature learning to recent deep learning. *The Journal of Finance and Data Science*, 2(4), 265-278.
22. Krizhevsky, I., Sutskever, G. E., Hinton, Imagenet classification with deep convolutional neural net-works, in: *Advances in neural information processing systems*, 2012, pp. 1097-1105.
23. Kalinovsky, V., Kovalev, Lung image segmentation using deep learning methods and convolutional neural networks.
24. Badrinarayanan, A., Kendall, R., Cipolla, Segnet: A deep convolutional encoder-decoder architecture for image segmentation, *IEEE transactions on pattern analysis and machine intelligence* 39 (12) (2017)2481-2495.
25. V. Badrinarayanan, A. Handa, R. Cipolla, Segnet: A deep convolutional encoder-decoder architecture for robust semantic pixel-wise labelling, arXiv preprint arXiv:1505.07293.

NET June 2019 (Computer Science and Applications) qualified for Assistant Professor. Now training students in Oracle, MySQL, Operating systems in the placement and Training division of the college. Worked as an Assistant Professor in Kalasalingam University, Krishnankovil with the experience of three years. Then experienced as Software analyst and as consultant for 1 year, 3 months. I have experience as Operating Systems/Database Technologies Team Lead of Training academy, Karpagam College of Engineering for the past 2 years. Currently i am handling students training in Operating Systems, DBMS Technologies MySQL and Oracle for product companies. PL SQL Programming Trained under Oracle University Training programme. Published four research papers in International Journal. Silver awarded partner faculty under Inspire in Infosys Campus Connect Faculty Partnership Model in the year 2018 - 2019. Also NPTEL certified candidate in Database management System, Operating Systems and Python for Data Science.



R. Gomathi is an Assistant Professor in Department of Master of Computer Applications of Karpagam College of Engineering. Working from December 2013 in Karpagam College of Engineering College situated in Coimbatore. During the mentioned tenure handled classes on C, C++, Java programming, Python Programming, Database Management Systems, Operating Systems and Unix & Shell Programming. Also NPTEL certified candidate in Database management System, Operating Systems and Python for Data Science and Oracle certified candidate. Handled facilitation skills for prefinal year engineering under graduate students in collaboration with Infosys Soft Skills. Couple of times silver awarded partner faculty under Inspire in Infosys Campus Connect Faculty Partnership Model in the year 2017-2018 and 2018 - 2019. Also published a paper in national conference and three papers in international journals.



V. Ananthanarayanan studying third year Master of Computer Applications in Karpagam College of Engineering. Completed under graduate programme in the domain of Bachelor of Computer Applications during the period 2014-2017 with first class in The M.D.T Hindu College at Tirunelveli district. Completed "School Project Management" as a full time project using Python during the final semester of MCA. Python and Data mining are the area of Interest. Completed higher secondary in Sivanthi Matriculation and Higher Secondary school at Tirunelveli district. And completes secondary school in St. John's Higher Secondary School at Tirunelveli district. Having good score of marks in all the academic activities. Organised department events in both UG and PG.



J. Ashok Lingam Mahipaul MCA., M.Phil., working as an Assistant Professor, Department of Computer Science for the past six years in Sankara Bhagavathi Arts and Science College in Kommadikottai, Thoothukudi district. Collaborated with professor to manage education projects from start to finish. Evaluated and supervised student activities and performance levels to provide reports on academic progress. Focused on Website Designing, Software Development with passion for professional development. Created lesson plans and developed instructional materials covering all required topics and learning objectives. Applied creative instruction methods to promote student learning objectives. Mentored and assisted with student-centered activities on campus to establish professional relationships. Engaged students in lectures by encouraging sharing of opinion and group interactions. Researched supplemental materials, including books and slides for use in classroom discussions. NSS program Officer for the past 5.5 years and shuttle Badminton Coach in VV Minerals Badminton Club in Thisayanvilai, Tirunelveli district.

AUTHORS PROFILE



R. Ramprashath MCA., M.Phil., MBA(HR) Currently working in Karpagam College of Engineering, Coimbatore for the past 5 Years 2 Months. In the UGC

