

Biometric Validation using Back-Propagation Neural Network



A.Annamalai Giri, A.Gayathri, E.Mohan

Abstract: The aim of this paper is to affirm particular persons as pointed out with aid of their claws. We come up with a method to get rid of Finger Texture (FT) feature of the twain finger depiction (middle, annular) from a depressed intention using appropriate LBP strategy for fist image. The application of Inner-Knuckle-Print (IKP) in biometric authentication is the prospective recognition task. The exclusive attribute of the IKP provide us the prerequisite for significant validation. In the interim IKP filtering transform, the copy of the picture generated by the scanner will be partly exclusive. The article introduce ANN for adequately regulate strategy to IKP authorization. By applying the Back-Propagation technique, the method harmonize IKP and disclose them to a unique proficient client.

Keywords: IKP, Feature extraction, LMBP, GLCM, BPN,SVM

I. INTRODUCTION

A biometric model is a professional unit that handles data about an individual (or other organic structure) to find that individual. Biometric models rely upon precise data about particular biological qualities that one may work adequately. The model will associate running input through methods for a specific outcome, consistently analogous to a specific recognition of an individual. The frequently used biometrics are hand pattern, fingerprint, finger shape, IKP etc. The fingerprint is the earliest and contribute support for basic recognition models. Aside its contribution, the fingerprint has few impediment, which restricts its role in some functions. It is noticed that some features like strange points, trivia and delta points can be readily disrupted by damage on the finger. It is observed that the trait of the finger gets tattered for manual workers. No single model can match all concern in situation. One of the recent technique treated for analysis is Inner Knuckle print (IKP). The reputation of the palm based biometric is by virtue of its high user recognition. Indeed the lines and furrow impression in the IKP is very specific and can be used as identifier.

Woodard and Flynn oppressed the IKP in biometrics model. They adapted a table of IKP. Related to palm print countenance, its feature are distinct from low quality images..

The edge counterparts can't be detached from low quality images. The furrows and lines are evacuated. Each finger has 3 knucks. The three important perspective in biometrics as follows; singleness, all-comprehensiveness and perpetuation so that investigators concentrate in biometric works based on IKP

II. METHODOLOGY

In the developed model, we scrutinize the probability of employing BPN based ANN into fingerprint realization technique. It incorporate three primary emphasis: Preprocessing, Feature extraction and Classification. Here texture appearances are derived by LBP and energy feature are derived by GLCM. we derive these appearances and apply ANN. The suggested model bring about excellent assured accepted percentage in our operations with analogous set of classifiers




Figure 1 IKP Identification Model

A. Preprocessing

The intensity of the input hand image is 256*256. Its RGB is utilized for the due course of identification. The objective of this procedure is to enhance the picture by concealing objectionable exaggeration or by developing some of the appearances of the input for further handling and interpretation.. In this stride, clamor eviction, obtain and extracting the ROI are endorsed on the input and they were adapted to extricate features. A seven steps process for pre processing was followed. A 3x3 image was used for disposing likelihood noise. In this effort, two preparations input target is detached.

B. Feature Extraction

The feature vectors are generated by applying appropriate extraction algorithm to the preprocessed data.

Manuscript received on April 02, 2020.
Revised Manuscript received on April 15, 2020.
Manuscript published on May 30, 2020.

* Correspondence Author

* **Dr.A.Annamalai Giri**, Professor, Department of Computer Science and Engineering, Marri Laxman Reddy Institute of Technology and Management, Dundigal, Hyderabad, India. girikumar246@gmail.com

A.Gayathri, Research Scholar, Department of Electrical and Electronics, Annamalai University, Tamilnadu, India,

Dr. E.Mohan, Professor, Department of Computer Science and Engineering, Lord Venkateshwara Engineering College, Kanchipuram, Tamilnadu, India, dremohan27@gmail.com

© The Authors. Published by Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP). This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>)

Biometric Validation using Back-Propagation Neural Network

The LBP driver revamp the input picture into labels portraying pint-sized presentation of the input applied. It assigns either 1 or 0 to the pixel value. If the picture element exceeds the adjacent pel value 1 is assigned else 0 is assigned. The borrowed LBP value is proportional to grey conversions perpetuate the intensity of picture element nearer to adjacent.

C. Artificial Neural Network (ANN)

ANN is an intelligence transform prototype, which is excited by the way the biological fuzzy model such as intellect process knowledge. It consists of many number of eminently pertinent neurons employed in accordance figure out an unambiguous issue. Numerous layers can also be attained by ANN along with one hidden layer.




Figure 2: ANN with input, hidden and output layer




Figure 3: BPN Network

i. Supervised Learning

It is labeled as supervised learning since the procedure learn from the known dataset can be assumed as a teacher administer the training process. We perceive the appropriate solution, the algorithm repeatedly makes prognosis on the learned data and is evaluated by trainer. Training concludes when the algorithm reaches an adequate level of achievement.

ii. Unsupervised Learning

The aim for unsupervised training is to develop the hidden network or dissemination in the data to train the input. These are called unsupervised since unlike supervised there is no appropriate solutions and there is no teacher.

iii. Training Technique

We employ LMBP (Levenberg-Marquardt back proliferation technique). This approach adapted audacious predicted descriptive index and emerges to be expeditious

method of feed forward model. Levenberg-Marquardt estimation with no computation of Hessian framework developed a second request in preparing strategy. Hessian structure can be calculated as:

$$H = JTJ$$

Such that the gradient calculation is given as

$$g = JTe$$

Where,

g - gradient calculation

e - vector system

J - Jacobian framework

III. RESULTS AND DISCUSSION

The input and its corresponding gray scale image in which the rate of each picture element is a specific specimen interpreting its appropriate light is shown in Figure 4.



Figure 4: Input image & its gray scale image




Figure 5: Normalized image




Figure 6: Middle finger & feature extraction

The input is split into blocks and then histogram shifting (Figure 7) is compassed on each block which augment the data hiding scope and ocular trait.



The extent of data that can be ingrained within picture blocks is more as correlated with single image.




Figure 7: Histogram shifting

These 100 images are segregated into 50 accepted images and 50 images to endorse the examination of IKP tests. The result were investigated for calculating the assertion rate of the structure. An assertion rate of 100% is achieved for this structure. This assertion rate venerates is flawlessly pertinent for INK acknowledgment structures. Neural system employ BPN to estimate new load for every associated neuron. The model has training scheme, invariably in an repetition way to confirm yield for every layer, differentiate the MSE and instigate it to shift when not persuasive close to destination. Once the phase is conclude the differentiating argument method is accomplished so as to apply the developed structure. This was refined by training the model with acknowledged and newly used input images. The data to be trained were associated to the adapted network along the input data for calculating the level of preciseness.




Figure 8: Graphical depiction of SVM and ANN

IV. CONCLUSION

Biometrics-established approach for person identification forecast that the biometric associates employed for analyzing an individual's trait. The singleness of IKP beginning with a person then onto the another has been completely proved. This method deals to improve by its singleness and boosts the capacity, integrating accurate of inward knuckle as significant verification and identification. In the model proposed back-spread $N \times N$ has been adapted for fingerprints analysis to perceive fingerprints with outstanding pre-processing that can especially broaden the execution of the model. The acceptance amount of fingerprint depends upon the quality of internal knuckle and competence of pre-processing structure.

REFERENCES

1. Jain and E. Al, "An Introduction to Biometric Recognition", IEEE Tran. On Circuits and Systems for Video Technology, Vol.14, No.1, pp: 4-20, 2004.
2. P. Baldi and Y. Chauvin, "Neural Networks for Fingerprint Recognition", neural computation, 5, pp.485-501, 1993.

3. V. Srinivasan, and N. Murthy, "Detection of Singularity Points in Fingerprint Images", Pattern recognition, 20, pp.513-523., 1992.
4. D. Maio and D. Maltoni, "Direct Gray Scale Minutiae Detection in Fingerprints", IEEE Tran on Pattern Analysis and Machine Intelligence, Vol.19, No. 1, 1997.
5. S. Al, "Fuzzy Control for Fingerprint Feature Selection", Proc. ACCV Vol. 3, pp: 767-771, 1995.
6. X. Xia, and L. O'Gorman, "Innovations in Fingerprint Capture Devices", Journal of Pattern Recognition, Pergamon Press, Vol. 36, No. 2, pp. 361-370, 2002.
7. B. Gour, T. Bandopadhyaya, and S. Sharma, "Fingerprint Feature Extraction Using Midpoint ridge Contour method and Neural Network", IJCSNS International Journal of Computer Science and Network Security, VOL.8, No.7, 2008.
8. E.Mohan, Dr.C.Puttamadappa et.al "Facial Tracking in Video Using Artificial Neural Networks", International Journal of Soft Computing 3(4):271-276, 2008.
9. K.Venkatachalam, Dr.E.Mohan. "A Novel Algorithm for Image Denoising using Modified Adaptive Median Filter," Research Journal of Applied Sciences, Engineering and Technology – Volume 10 ,issue 4, 373-375, 2015 .

AUTHORS PROFILE



Dr. A. Annamalai giri, received the Master of Technology degree in IT from Sathyabama University Chennai, India in 2007 and the Ph.D. degree from Mononmanium Sundaranar University, Thirunelveli, Tamilnadu, India. He worked as assistant professor in Sathagiri college of engineering and various colleges in Bangalore. He is currently working as a Professor in the Department of Computer Science and Engineering at Marri Laxman Reddy Institute of Technology And Management, Dundigal, Hyderabad, Telungana, India. His research interests are in Image Processing, Software Engineering, Mobile Computing and Cloud Computing. Dr. A. Annamalai Giri has published more than 20 papers in the Journals and conferences of repute. He serves as IQAC Director, Staff Selection panel, Academic committee member and resource person in various conferences. He is a life time member of IEANG, ISTE..



Miss A. Gayathri, received Masters of Technology degree in Embedded Systems from Sathyabama University Chennai, India . She is currently working as a senior QAT at Amazon India Pvt Ltd, Bagmane Tech park, Bengaluru, Karnataka, India. She is pursuing PhD From Annamalai university, Tamilnadu. Her research interests include IOT, Remote sensing, AI, Machine learning. She has published more than 5 papers in the Journals and conferences of repute.



Dr. E. Mohan, received the Master degree in CSE from Sathyabama University Chennai, India in 2005 and the Ph.D. degree from Vinayaka Missions University, Salem, Tamilnadu, India His research interests are in Image Processing, WSN, Embedded and Cloud Computing. He has published more than 45 papers in the Journals and presented a few conferences of repute. He serves as member of Staff Selection panel, Academic committee member and resource person in various conferences. He is a life time member of IEANG, ISTE.