

# An Augmented Reality based Learning App

K.E.Kannammal, P. Bharathkumar, AM. Keerthi, R. Mahalakshmi, Mohammed Rafi

**Abstract:** *There are so many different types of applications that deal with various sectors of augmented reality, that provides augmented facility for learning. But there is no particular augmented reality software that is designed to detail out information of the interior parts of the human body with its organs, thus we have initiated and designed an augmented reality application that shows all the information and 3D Models about the interior organs of the human body, we need to know about with the help of some special markers present physically in every iconic spot. This information displayed visually is dynamically maintained and also provides the Students with a 3D visual of the Human organs, where the students will be given an application with several pictures for visualizing the 3D model of the organs with its interior parts. This could greatly help the students to gain knowledge about body parts by using mobile phone and also this will help the students to increase their memory power by visualizing them.*

**Keywords :** *augmented reality, application, 3D model, organs.*

## I. INTRODUCTION

Augmented Reality (AR) is the consolidation of Real and virtual articles in Real conditions, running intuitively progressively, and there is incorporation between objects in three measurements (virtual items coordinated in reality). Numerous AR advances are utilized in regular day to day existence, for example, Transport, sports, or human body by having those organs. Computer generated Reality (VR) and AR have additionally been presented in the training division. The task to be met is the enhancement in understudy learning results over this breakthrough. The challenge which really needs to be met is to boost understudy training results through this breakthrough. AR were continuously stored then assembled. AR becomes defined through triple key attributes: a mixture of true and simulated, continuous and 3D relations. AR adjusts ongoing pictures with virtual items and offers a situation not saw by tangible organs. AR work has been undertaken in numerous fields since the

**Revised Manuscript Received on May 06, 2020.**

\* Correspondence Author

**Dr.K.E.Kannammal\***, Professor and Head. Department of Computer Science and Engineering, Sri Shakthi Institute of Engineering and Technology, Coimbatore, India.

Email: kek@siet.ac.in

**P.Bharathkumar**, Department of Computer Science and Engineering, Sri Shakthi Institute of Engineering and Technology, Coimbatore, India. Email: bharathsolson@gmail.com

**A.M.Keerthi**, Department of Computer Science and Engineering, Sri Shakthi Institute of Engineering and Technology, Coimbatore, India. Email: amkeerthi15@gmail.com

**R.Mahalakshmi**, Department of Computer Science and Engineering, Sri Shakthi Institute of Engineering and Technology, Coimbatore, India. Email: mahalakshmir2020@srishakthi.ac.in

**Mohammed Rafi**, Department of Computer Science and Engineering, Sri Shakthi Institute of Engineering and Technology, Coimbatore, India. Email: rafibinzubair1998@gmail.com

mid-1990s in the fields of medication, producing, air transportation, mechanical autonomy, amusement, the travel industry, social and training. AR has additionally been utilized for upgrading understudies' comprehension of science, miniaturized scale science ecological science and biomedical sciences.

Understudies by and large experience troubles in learning human body life structures because of imperatives to picture the body life systems from 2D into 3D picture. This exploration means to build up a human life structures learning framework utilizing increased reality innovation. By utilizing this framework, it is normal that understudies can without much of a stretch comprehend the life systems of the human body utilizing a 3D picture perception [1]. The strategy utilized right now enlarged reality marker on portable registering stage. The marker is caught by snapping a photo. At that point, the caught picture is separated into pieces and the example is coordinated with pictures put away in the database.

For now, using the Vuforia Platform to enter the SQLite net work. Increased knowledge of human body existence systems examples that may intuitively reveal the whole body or portions of human organs. In order to determine the suitability of the submission, we have attempted the improved reality of life processes paradigm with high school understudy and clinical understudy for studying the human body's existence mechanisms. The outcomes show that the human life systems learning framework with intelligent enlarged reality perception assists understudies with learning human life structures all the more no problem at all.

## II. AUGMENTED REALITY SYSTEM

### A. Hardware

The framework requires a camera to catch the real-world so as to figure out where the virtual components will precisely must be drawn. We have utilized a camera. In the wake of handling the caught picture, the framework gets the genuine camera position and direction relative to physical markers, and figures out where the virtual components must be drawn. A Head-Mounted Display (HMD) was utilized as representation framework... The camera has been appended to the HMD. Right now, client sees what he/she would check whether he/she didn't wear any gadget. The picture that shows up on the HMD likewise shows up on the PC screen [11].

### B. Software

We modified the framework utilizing UNITY 3D. The rendition utilized was Unity 3d with vuforia support. Solidarity enables clients to make games and encounters in both 2D and 3D, and the motor offers an essential scripting in C#.

Vuforia has become an Integrated Software Technology Development Kit (SDK) for smartphones that allows the production of augmented reality applications. Which uses Computer perception engineering to constantly interpret and track planar representations and 3D issues. The capacity to enroll photographs encourages artists to organize and place simulated objects, e.g. 3D models and other artifacts, similar to real products as seen from a mobile phone frame. The simulated article at that stage maintains track of the location and orientation of the subject such that the perspective of the spectator on the element corresponds with the perception of the observer. It then provides an impression which The interactive article was a part of the actual reality environment.

### III. RELATED WORKS

Augmented reality (AR) is a framework that produces a genuine scene by including virtual items made by PC including 3D objects [2] with the goal that clients can make the virtual objects of the framework as though the articles are genuine. In a perfect world, the articles must have the option to communicate with the client normally [3]. AR is an application that expects to include client encounters in reality with virtual components without losing the components of this present reality [4]. AR is likewise an apparatus to communicate with advanced items from a physical perspective. Increased reality has been generally utilized in different fields. AR has a development factor and intriguing components that coordinate the cutting edge innovations. AR would be used in various areas, including AR in teaching, AR in industry and AR in architecture. Study hall AR may be useful for research instruction. AR will detect innovations as well as store them for teachers. Computerized data can be included in the production, which will help to transport materials. For example, if an instructor teaches material science, he may push the marker-secured ball to crush and demonstrate It is used in 3D prototypes with different labels to demonstrate the re-enacted formation during an interaction among two objects. In industry, Ekengren's examination [4] with portable JAR suggested The AR could also be used to improve new markets owing to the special characteristics of cell phones in mankind, meaning the businesses with a scalable approach can achieve greater outcomes and be in ahead of everyone preparing another action plan. In the engineering sector, AR is used for internal structuring as referenced by Domhan [2]. The AR program is used to check how seating suits its needs of the workplace prior to the purchasing of products. The favorable feature of AR is that it should be used much more effectively to adjust the fabric condition. Clients are able to analyses the situation before the game plan starts. In our suggested research, we build an app-based application of AR used as the method to analyze human life structures via a 3D-marker view. We divide the life processes of the human body into layers, including the bodies. Mobile apps are meant to offer input on the touch interface as an instruction for body pieces to be chosen. Organ data will appear when a client contacts the images of organs on the 3D images displayed in the application.

### IV. PROPOSED WORK

We began our research by leading a writing emphasis in different fields on advancing expanded reality (AR). Following that, we concentrate on using AR at high. As for the usage of AR in schooling, we are looking at how AR can help understudy materials that involve perception in learning. One of the tasks is to understand the human body's life processes. From the study of literature, we analyse in detail the knowledge of human life processes utilizing existing technologies, where they consider certain weaknesses of the inquiry concerning rise and fall. The following step, as shown in Fig 4.1, is the structuring and making of AR applications. The initial section is (view on camera). The camera is an appliance for capturing a marker and measuring the marker's size and location. The second one is pick and follow (marker distinguishing). The camera yields are as the location and size of the pictures that will further decide the 3D figure's underlying size to be displayed. The final stage is distinctive (differentiating) proof whereby programs need to classify the marker, determine how the marker should be used as per the put-off database, and determine the pattern should be seen. The last stage is the appearance of information (graphical presentation). The program presents the current details as 3D models, as well as the component of directions. For the displayed 3D object, attractiveness designs use the marker as location pointer. The used AR System is the Unity and Vuforia AR systems developed for the modular framework. The advancement of AR technologies started with the planning of the marker to be used. The best tracker is indeed a tracker which is neither flat nor vertical in between. Marker is rendered right now at <https://developer.vuforia.com/licenseholder>. Clients will create identifiers on this platform by enrolling on the platform and having a licensing code afterwards. At that point, the analysts license main to prepare the ideal images as a label and access the tracker as a record with extension. IDE KIT UNITY. That analysts instead use an authorization code and a copied record as identifiers to access the software. The knowledge used for learning materials is knowledge descriptions of the human body's life-systems. The information was gotten from different books.




Fig 4.1 Use case Diagram

### V. RESULT AND DISCUSSION

The process begins with the simple Screen as seen in Fig 5.1






**Fig 5.1 User Interface**







Here, the Students can pick the visual learning mode. Moreover, life systems learning mode with AR starts with capture marker. Right now, app captures live feed through phone and recognizes a marker file. First, the application shall define the markers in the marker which distinguishes facts. The application displays a real 3D model [1] under a position compared to the label in the 3D model presence phase. The Students respond to the kind of contact on the phone screen in the Students input process. Then, the application detects any on-screen contact collaboration. If the touch is unlikely to be directly on the area set apart with Display parts, the following procedure should continue at that point.


Second, is the information presence. Right now, the Students gets an appreciation for the touch structure and the 3D model directions. The required details on the part being addressed is shown from the application's directions. The program shows the view on android gadget acquired from the phone. The camera would then determine the closeness of the markers.



**Fig 5.2 3D models**

At the point where the marker is identified, 3D models of the human body will be displayed in agreement as shown in Fig. 5.2, the 3D model shown in the partnership discusses areas of The neck, like the heart, the lungs, the stomach, the tongue, and the cortex [14]. For e.g., once the Students Association has provided the body with a portion of the 3D prototype seen on the label, the proposal may present a list with a look as seen in Fig 5.3.





**Fig 5.3 3D models with internal parts**

The shown 3D models can be regulated in expansion by revolution and model amplification. It is achieved by using the Android touch screen input. This functionality uses the Android functionality to detect and evaluate the data location of the contact on the screen. The program detects the touch of the Students along the smartphone display and instead worries regarding the current instructions of the item being shown. Upon forming a connection between the click directions as well as the 3D objects [12], a software shows data and maps the details well into the database. For instance, once a student comes across some of the body parts, a representation of the organ is shown on the application. Students may use pivoting markers to transform the shown organ likewise. we should be able to zoom in and out by changing the separation marker with the camera.

### VI. CONCLUSION

The application is extremely valuable in giving perception of understudy learning materials and making a superior enthusiasm for learning life systems material subjects. Portable applications with expanded reality innovation additionally make the longing of understudies to utilize This technology is higher as a related learning and comprehension tool for mankind structures. A few upgrades of the portable application that should be possible are to give better direction to fledgling clients, include perception materials with more decisions highlighted in sight and sound stages by utilizing sound or video, straightforward material comment enhancements with more obvious language utilization and UI. In view of the aftereffects of this investigation, it tends to be finished up that applications utilizing portable expanded reality can assist high with tutoring understudies and clinical understudies in learning the life systems of the human body with an intelligent learning [5].

### REFERENCES

1. ALMEIDA DS. Augmented Reality-Based Synchronous Human-Human Communication Nara Institute of Science and Technology: NAIST-IS-M(February); 2011.
2. VALLINO R, BROWN M. Interactive Augmented Reality Dissertation D, editor. Dept. of Computer Science: University of Rochester; 1998.

3. Chine CH, Chen CH, Jeng TS. An Interactive Augmented Reality System for Learning Anatomy Structure. In Engineers. IAo, editor. Proceedings of the International MultiConference of Engineers and Computer Scientists; 2010; Hong Kong, China. p. 17-19.
4. Ekengren B. Mobile augmented reality Kungliga Tekniska hogskolan: Skolan for datavetenskap och kommunikation; 2009
5. Kucuk S, Kapakin S, Goktaş. Learning anatomy via mobile augmented reality: effects on achievement and cognitive load. Anatomical sciences education. 2016; 9(5): p. 411-421.
6. Lee S. Creating and using databases for Android applications. International Journal of Database and Theory Application. 2012; 5(2): p. 99– 106.
7. Rubina Freitas, Pedro Campos, University of Madeira, Campus Universitario da Penteada “SMART: a System of Augmented Reality for Teaching 2nd Grade Students.
8. R. Silva, J. C. Oliveira, G. A. Giraldi, National Laboratory for Scientific Computation, “Introduction to Augmented Reality”.
9. MehdiMekni and reLemieuxn “Augmented Reality: Applications, Challenges and Future Trends”
10. Abrar Omar Alkhamisi, Muhammad Mostafa Monowar, “Rise of Augmented Reality: Current and Future Application Areas”, in International Journal of Internet and Distributed System, 2013.
11. Sutherland I (1968), “A Head-Mounted Three Dimensional Display”, Proceedings of Fall Joint Computer Conference, pp. 757-764.
12. Shahan Ahmad Chowdhury, Haslina Arshad, Behrang Parhizkar and Waqas Khalid Obeidy “Handheld Augmented Reality Interaction Technique”
13. Kandikonda K. Using Virtual Reality and Augmented Reality to Teach Human Anatomy University of Toledo.: PhD Thesis; 2011.
14. Kiourexidou M, Natsis K, Bamidis P, Antonopoulos N, Papathanasiou E, ESgantzou M, et al. Augmented reality for the study of human heart anatomy. International Journal of Electronics Communication and Computer Engineering. 2015; 6(6): p. 658.

### AUTHORS PROFILE



**Dr.K.E.Kannammal**, Professor and Head, Department of Computer Science and Engineering, Sri Shakthi Institute of Engineering and Technology. She is involved in many of the academic and Research activities. Her area of interest also includes Wireless Sensor Networks, Data Analytics and Machine learning. She has published many papers in International Conferences and reputed journals.



**P.Bharathkumar** UG Student, Computer Science and Engineering, Sri Shakthi Institute of Engineering and Technology, Expertise at Python.



**A.M.Keerthi** UG Student, Computer Science and Engineering, Sri Shakthi Institute of Engineering and Technology, Expertise at C and Python.



**R.Mahalakshmi** UG Student, Computer Science and Engineering, Sri Shakthi Institute of Engineering and Technology.



**Mohammed Rafi** UG Student, Computer Science and Engineering, Sri Shakthi Institute of Engineering and Technology.