

Assessment of Safety Risk for Signalized and Un-signalized Intersection in a Road Network

Daya Shankar Pandey, P.K. Agarwal



Abstract: The spectacular increase of number of motor vehicles on the road is mainly attributed ingeneration of traffic problems like accidents, congestions, delays etc., especially in the urban premises of developing countries. This paper examines the traffic problems and sustainable improvement of road intersection at Bhopal, India. The special and temporal constitutions of the vehicle as well as pedestrian traffic at the intersections were examined and the characteristics of the junction indoctrinating the delay problems are identified. Data regarding the traffic volume, land use and pedestrian movement activities are collected through surveys, expert opinion and literature . Analysis of the collected data revealed that the improper planning of the junctions, lack of traffic signals and unauthorised parking are the major factors contributing to the traffic congestions. Various Using data collected from surveys, traffic frequency and severity standards for signalized and Un signalized have been established. The methodologies are developed incorporating the relative importance of different severity of different safety indices at intersection. The relative importance (weights) of very low, low, medium and high severity condition is developed using data collection and expert opinions experience people which have knowledge in development/safety development at intersection were obtained by conducting a survey. .

Keywords: Road safety, Un- Signalized Intersection, Signalized Intersection, Traffic Survey

I. INTRODUCTION

Road accidents are clearly the most frequent and major cause of damage to human lives. The severity of road accidents, measured in terms of number of persons killed per 100 accidents has increased from 28.5 in 2014, to 29.1 in 2015 (MORTH, 2015). India has only 1 % of total vehicles across globally but it has 10 percent of total deaths (Times of India 2012). The reason behind this scenario is extremely dense road traffic, lack of planning and implementation in accordance to safety factors (proper geometric design, environmental conditions and traffic rules). More than half of road accidents occur at intersections. This has given a thrust to redesigning of the existing intersections. In a recent study in America (by FHWA) it was found that out of total fatal and injury crashes 56.7% of it took place at intersections, and on an average 53.5% crashes of all crashes took place at

intersections only. In India this data ranges between 30%-35%. And in Australia 43% of urban crashes and 11% of rural crashes are at intersections. Vehicles moving in different directions, as well as pedestrians (wanting to cross the road) might try to occupy same space at the same time. Hence, to avoid accidents and improve overall efficiency, it is necessary to reduce this conflict for space. A signalized intersection has 32 conflict points whereas roundabout with one circulating lane and one entry lane has 8 traffic conflict points. An un-signalized intersection is the most hazardous locations in any road network. The conflict can be reduced by intelligent design of intersections based on evaluation of safety factors. Implementation and continued success of road-intersections depend on improved understanding of major safety factors. These factors include- traffic control devices, road and intersection geometry, driver behaviour, light and heavy vehicle characteristics, behaviour and requirements of other road users, traffic flow characteristics and operation of traffic control to resolve vehicle to vehicle conflicts (as well as vehicle to pedestrian conflicts). Optimization of above mentioned factors improve traffic and pedestrian safety, operational performance, environment and aesthetics.

II. METHODOLOGY BASED FRAMEWORK

In this section, framework for signalized intersections based on the above methodology is presented in brief (similar process, applied to un-signalized intersections, is already discussed in more detail). As per the methodology, the framework is developed in four stages.

Stage I: Development of a Hierarchical Structure to Identify Safety Factors Affecting Safety at Signalized Intersection

For signalized intersections, ten safety factors have been identified and classified. The ten factors have been classified into following four categories- improper intersection geometry, unsafe traffic operation, poorly designed traffic signals, and other safety factors.

Stage II: Determination of Relative Importance of Identified Safety Factors

For signalized intersections, it has been found that more important safety factors are- absence of cross-walk, and inadequate entry angle. These safety factors have relatively higher impact on the overall safety index.

Stage III: Developing Assessment Tool (SIEM) for Evaluation of Overall Safety of Signalized Intersection.

Formula for computing safety index values for each of the ten safety factors associated with signalized intersections is developed. These safety indices are used to compute the overall safety factor of the signalized intersection.

Revised Manuscript Received on September 25, 2020.

Manuscript Received On October 06, 2020

* Correspondence Author

Daya Shankar Pandey, Phd. Scholar, Department of Civil Engineering, Maulana Azad National Institute of Technology, Bhopal (M.P), India

Dr. P.K. Agarwal, Professor, Department of Civil Engineering, Maulana Azad National Institute of Technology, Bhopal (M.P), India

© The Authors. Published by Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP). This is an [open access](https://creativecommons.org/licenses/by-nc-nd/4.0/) article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>)

Assessment of Safety Risk for Signalized and Un-signalized Intersection in a Road Network

The formula for the overall safety factor of signalized intersection is as follows:

$$SSI = \sum_{i=1}^{i=n} SSFI_i \quad \dots \text{Equation 1}$$

SSI = Overall safety index for the given signalized intersection.

SSFI_i = Signalized intersection safety factor index for ith safety factor

Where:




Figure 1: Methodology based framework for evaluation of safety at signalized intersection

III. RESULT ANALYSIS OF THREE DIFFERENT SIGNALIZED INTERSECTIONS

Table 1 Input data for identified Signalized intersections SI₁, SI₂, SI₃

S. No.	Safety Component ID	Safety Component	Notation	Desired value	Available Value		
					(I)	(II)	(III)
					Board Office Square (SI1)	Jyoti Talkies Square (SI2)	TT Nagar Tiraha (SI3)
1	SSFI-1	Gaps-in-median	GM	12	10	9	10
2	SSFI-2	Inadequate Entry Angle	IEA	60	60	50	45
3	SSFI-3	Inadequate Entry Radius	IER	40	31	29	26
4	SSFI-4	Level of Service	LOS	80	60	50	30
5	SSFI-5	Poor Lighting	PL	20	15	10	8
8	SSFI-6	Traffic Signs	TS	14	12	10	8

9	SSFI-7	Absence of Cross Walk	ACW	8	8	3	3
10	SSFI-8	Narrow/No shoulder	NS	1	0	0	0.5
6	SSFI-9	Slow Moving Vehicle Composition	SMVC				
7	SSFI-10	Non Motorized Transport Composition	NMTC				

All intersection (Board Office, Jyoti Talkies and TTnagr) have desired index value and they apply proposed method to optimized parameter to enhance security. As show on table 1




Figure 2 Graph of safety indices parameters with Actual value (Present value) of Signalized Intersection of Board Office Square

Figure 2 presents the Available value of safety parameter identified signalized intersections on the basis of result obtained using developed methodology for the board office square.




Figure 3 Graph of safety indices parameters with Actual value (Present value) of Signalized Intersection of Jyoti Talkies Square

Figure 3 presents the Available value of safety parameter identified signalized intersections on the basis of result obtained using developed methodology for the Jyoti Talkies Square.




Figure 4 Graph of safety indices parameters with Actual value (Present value) of Signalized Intersection of TT Nagar Tiraha

Figure 4 presents the Available value of safety parameter identified signalized intersections on the basis of result obtained using developed methodology for the TT Nagar Tiraha.




Figure. 5 Comparison graph of Desired Value of safety indices with Actual value (Present value) of Signalized Intersection of Board Office Square

This section presents the comparison of the results of level of safety at identified signalized intersections based on the overall safety Indices determined in pervious section. Table 1 shows the Desired and available parameter indices using developed methodology and figure.5 presents the Comparison graph of Desired Value of safety indices with Actual value (Present value) of Signalized Intersection of Board Office Square to identified signalized intersections on the basis of result obtained using developed methodology.

Assessment of Safety Risk for Signalized and Un-signalized Intersection in a Road Network




Figure 6 Comparison graph of Desired Value of safety indices with Actual value (Present value) of Signalized Intersection of Jyoti Talkies Square

Desired and available parameter indices using developed methodology and figure 6 presents the Comparison graph of Desired Value of safety indices with Actual value (Present value) of Signalized Intersection of Jyoti Talkies Square to identified signalized intersections on the basis of result obtained using developed methodology.




Figure 7 Comparison graph of Desired Value of safety indices with Actual value (Present value) of Signalized Intersection of TT Nagar Tiraha

Desired and available parameter indices using developed methodology and figure 7 presents the Comparison graph of Desired Value of safety indices with Actual value (Present value) of Signalized Intersection of TT Nagar Tiraha to identified signalized intersections on the basis of result obtained using developed methodology.




Figure 8 Comparison graph of Desired Value of safety indices with Actual value (Present value) of Signalized Intersection of TT Nagar Tiraha

Desired parameter indices using developed methodology and figure 8 presents the graph of Desired Value of safety indices of Signalized Intersection of identified signalized intersections on the basis of result obtained using developed methodology.




Figure 9 Comparison graph of Desired Value of safety indices with Actual value (Present value) of Signalized Intersection of TT Nagar Tiraha

IV. CONCLUSION

In this paper, the process of development of framework for signalized intersections have been given. The development of framework is based on the methodology described earlier. The framework is implemented over MATLAB to give Safety Index Evaluation Method (SIEM) software. SIEM improves the overall safety of intersections optimally and ranks the intersections on the basis of their overall safety index.

REFERENCES

1. Agarwal, P. K. (2005), "Road Condition Evaluation, Prioritization and Optimal Resource Allocation for Highway Maintenance at Network Level", Ph.D. Thesis, Indian Institute of Technology Kanpur, India.
2. Agrawal, S, Jain, S. S. and Parida, M. (2004), "Development of Pavement Management System for Indian National Highway Network" Journal of Indian Roads Congress, pp 271-326.
3. Agrawal, S, Jain, S. S. and Parida, M. (2005), "HDM-4 Pavement Deterioration Models for Indian National Highway Network" Journal of Transportation Engineering, ASCE, 131(TE8), pp 623-631.
4. Ahmed A. , Sadullah A. F. M., Yahya A. S., (2015) "Evaluating The Contribution Of Physical Parameters On The Safety Of Unsignalized Intersections", Journal of Engineering Science and Technology, Vol. 10, No. 5 654 – 666,
5. Ahmed A., Sadullah Mohd, Yahyaa Ahmad shukri, (2013) "Accident Analysis Using Count Data for Unsignalized Intersections in Malaysia", Fourth International Symposium on Infrastructure Engineering in Developing Countries, Procedia Engineering 77 (2014) 45 – 52, IEDC, ,
6. Ali, H. A. and Tayabji, S. D. (1998), "Evaluation of Mechanistic Empirical Performance Prediction Models for Flexible Pavements," Transportation Research Record 1629, Transportation Research Board, National Research Council, Washington, D.C., pp.169–180.
7. AL-Mansour, A. (1999), "Development of Pavement Performance Models for Riyadh Streets Network" Transportation Research Board (TRB), No.1655.
8. AL-Mansour, A. (2004), "Flexible Pavement Distress Prediction Model for the City of Riyadh, Saudi Arabia" Emirates Journal for Engineering Research, 9(1), pp 81– 88.
9. Al-Suleiman T., Al-Bandoura F.A., "Traffic safety at roundabouts in Urban Areas - Case Study in Jordan", Jordan University of Science & Technology, Irbid, 22110-Jordan, available on <https://www.ncbi.nlm.nih.gov/pubmed/10576672>.
10. American Association of State and Highway Transportation Officials, (1993), "AASHTO Guide for Design of Pavement Structures", Washington, D.C.
11. American Association of State Highway and Transportation Officials, (2001), "AASHTO Pavement Management Guide", Washington D.C.



12. American Association of State Highways and Transportation Officials (1981), AASHTO Interim Guide for Design of Pavement Structures, AASHTO, Washington, D.C.
13. Arndt K. Owen and Troutbeck J.Rod, "Relationship between Roundabout geometry and Accidents rates", International Symposium on Highway Geometric Design Practices, Issue Number: E-C003, Publisher: Transportation Research Board, ISSN: 0097-8515, 2000, available on <http://worldcat.org/issn/00978515>.
14. Bausano, J. P., Chatti, K., and Williams, R. C., (2004), "Determining Life Expectancy of Preventive Maintenance Fixes for Asphalt-Surfaced Pavements", Transportation Research Record: Journal of the Transportation Research Board, No. 1866, TRB, National Research Council, Washington, D.C. ,pp. 1-8.
15. Bhawsar U, Agarwal P.K, TR Beevi R, Khan A.B., "Evaluation of Road Safety Hazardous Conditions in a Road Network", Civil and Environmental Research (I.F- 5.52), 2015.
16. Caleb N. A, Dario J. C and John L. N, (2009), "Subsurface Drainage Manual for Pavements in Minnesota" Minnesota Department of Transportation, Minnesota.
17. California Department of Transportation, (2008), "Maintenance Technical Advisory Guide Volume I – Flexible Pavement Preservation" 2nd Edition, Office of Pavement Preservation, Division of Maintenance, Sacramento, CA.
18. Carey, W.N and Irick, P.E, (1960), "The Pavement Serviceability Performance Concept", Highway Research Bulletin 250, Highway Research Board, Washington D.C., pp. 40-58.
19. Cedergren, H.R, (1973), "Development of Guidelines for the Design of Subsurface Drainage Systems for Highway Pavement Structural Section", Report No. FHWA RD 73-14 Federal Highway Administration.
20. Cedergren, H.R, (1988), "Why all Important Pavements Should be Well Drained" Transportation Research Record 1188, Transportation Research Board, National Research Council, Washington, D.C., pp. 56-62.
21. Central Road Research Institute, (1993) Pavement Performance Study: Study on Existing Pavement Sections, Final Report Volume II, New Delhi, India.
22. Central Road Research Institute, (1993), Pavement Performance Study: Study on Existing Pavement Sections, Final Report, Volume I, New Delhi, India.
23. Central Road Research Institute, (1994), "Pavement Performance Study on Existing Pavement Sections", Final Report, CRRRI, New Delhi.
24. Chakroborty, P and Das, A, (2003), "Principles of Transportation Engineering" Prentice Hall of India, New Delhi.
25. Chakroborty, P., Agarwal, K.A., and Das, A. (2006), "Simple Model to Predict the
26. Chen, Chen, Jason C. Anderson, Haizhong Wang, Yin Hai Wang, Rachel Vogt, and Salvador Hernandez. "How bicycle level of traffic stress correlate with reported cyclist accidents injury severities: A geospatial and mixed logit analysis." Accident Analysis & Prevention 108 (2017): 234-24
27. Chhalotre R.K., Joshi Y. P., "An Evaluation of Rotary Intersection: A Case Study of Prabhat Square Raisen Road Bhopal", IJEDR | Volume 4, Issue 3 | ISSN: 2321-9939, 2016, available on <https://www.ijedr.org/papers/IJEDR1603016.pdf>.
28. Christopher, B.R., and McGuffey, V.C.C, (1997), "Pavement Subsurface Drainage Systems." NCHRP Synthesis of Highway Practice 239, Transportation National Research Council Washington, D.C.
29. Darter, M.I., (1980), "Requirements for Reliable Predictive Pavement Models", Transportation Research Record, 766, pp. 25-31.
30. Das, A., and Pandey, B.B. (1999), "Mechanistic-Empirical Design of Bituminous Roads: An Indian Perspective" Journal of Transportation Engineering, 125(5), pp 463-471.
31. Dawkins Janine M, ten Ham D, Farquharson W., "Comparative Evaluation of Roundabouts with other Intersection Control Methods in the Island of Jamaica". National Roundabout Conference 2008, Kansas City, Missouri.
32. Diefenderfer B.K, Galal K, and Mokarem D.W, (2005), Report on Effect of Subsurface Drainage on the Structural Capacity of Flexible Pavement", Virginia Transportation Research Council, Virginia Department of Transportation, Richmond, VA.
33. Federal Highway Administration, (2003), "Distress Identification Manual for the Long Term Pavement Performance Program" Publication Number FHWA-RD-03-031, U.S Department of Transportation.
34. Federal Highway Administration, FHWA (1973), "Guidelines for the Design of Subsurface Draining Systems for Highway Structural Sections" U.S Department of Transportation.
35. Forsyth, R.A, Wells, G.K., and Woodstrom, J.H. (1987), "The Economic Impact of the Pavement Subsurface Drainage." Transportation Research Record 1121, Transportation Research Board, National Research Council. Washington, D.C.
36. Gendreau, M. and Soriano, P. (1998), "Airport Pavement Management Systems: An Appraisal of Existing Methodologies." Transportation Research Part A, 32(3), pp 197-214.
37. George, K.P., Rajagopal, A.S. and Lim, L.K. (1989), "Model for Predicting Pavement Deterioration", Transportation Research Board Report 1215, Transportation Research Board, National Research Council (National Academy Press: Washington D.C.), pp. 1-7.
38. Gharaibeh N G, Freeman T, Wimsatt A, and Zou Y (2011), "Report on Evaluation and Development of Pavement Scores, Performance Models and Needs Estimates", Texas Transportation Institute, the Texas A&M University System College Station, Texas, USA.
39. Gharaibeh N G, Zou, Y and Salimnejad S, (2010), "Assessing the Agreement Among Pavement Condition Indexes" Journal of Transportation Engineering, Vol. 136, No. 8, pp 765-772.
40. Gillespie T. D., M. W. Sayers, and L. Segel (1980), "Calibration of Response-Type Road Roughness Measuring System", National Cooperative Highway Research Program, Report 228, Transportation Research Board, Washington, D.C.
41. Global Status Report on Road Safety- Time for Action, Department of Violence & Injury Prevention & Disability (VIP), World Health Organization, 2008, available on http://whqlibdoc.who.int/publications/2009/9789241563840_eng.pdf
42. Golroo A and Tighe S L, (2010), "Developing an Overall Combined Condition Index for Pervious Concrete Pavements Using a Specific Panel Rating Method", 89th Annual Meeting of the Transportation Research Board, Washington, D.C.

AUTHORS PROFILE



Daya Shankar Pandey is presently PhD research scholar in the Department of Civil Engineering, MANIT, Bhopal, he has obtained his Bachelors from REC Rewa and Masters degree from MANIT Bhopal . He has also published more than 8 research papers in various national and international publications. His area of interest includes Road Safety, Public Transport and Maintenance Management System.



Dr. P.K. Agarwal is presently working as Professor and Dean, Planning & Development (P&D) in the Department of Civil Engineering, MANIT, Bhopal and having a vast teaching experience of more than 20 years at UG, PG & Ph D level. Dr Agarwal has excellent academic background and he has obtained his Bachelors and Masters degree from University of Roorkee (presently IIT Roorkee) and got his Ph.D from IIT Kanpur.

Dr. Agarwal is also actively involved in various testing & consultancy projects in the area of Civil Engineering/Transportation Engineering. Presently, Dr. Agarwal is also a member of two technical committees of Indian Roads Congress (IRC) (H-6 and H-7 Committee). IRC is an Apex body of highway engineers in the country which formulates standards & specifications for roads and bridges in the country. Currently he is also an active member of State technical agency STA for PMGSY road project of GOI and Govt of M.P. Dr. Agarwal is also serving the institution as a Chairman, Council of Wardens and P.G. course coordinator. Presently Dr Agarwal is also serving the as a Chairman, of IUT chapter for M.P. & C.G state .He has also published more than 80 research papers in various national and international publications. His area of interest includes Road Safety, Public Transport and Maintenance Management System. He has guided several Ph.D. Thesis and M.Tech Thesis. He has also delivered several lectures and conducted various training programs and workshops. He is also a life member of various professional bodies like IRC, Indian Science Congress, IUT, ISTE etc.

